



CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

Last Updated: 1st of August 2024

Columns

Show entries

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	8 - Max...	Min... - Max...	Min... - Max...	Min... - Max...		
[Dual CPU] AMD EPYC 9684X	96	156,957	2,879	400	SP5	Server
AMD Ryzen Threadripper PRO 7995WX	96	154,671	3,952	350	sTR5	Desktop
[Dual CPU] AMD EPYC 9654	96	146,802	2,754	360	SP5	Server
[Dual CPU] AMD EPYC 9554	64	146,218	2,949	360	SP5	Server
[Dual CPU] AMD EPYC 9634	84	142,801	2,821	290	SP5	Server
AMD Ryzen Threadripper PRO 7985WX	64	135,597	3,998	350	sTR5	Desktop
AMD Ryzen Threadripper 7980X	64	135,158	3,981	350	sTR5	Desktop
[Dual CPU] AMD EPYC 9454	48	134,517	3,030	290	SP5	Laptop
[Dual CPU] AMD EPYC 9754	128	132,951	2,419	360	SP5	Server
[Dual CPU] AMD EPYC 9374F	32	131,140	3,383	320	SP5	Server
[Dual CPU] AMD EPYC 9734	112	130,018	2,365	340	SP5	Server
[Dual CPU] Intel Xeon Platinum 8488C	48	127,207	3,096	385	Unknown	Server
[Dual CPU] Intel Xeon Platinum 8468	48	126,838	3,156	350	FCLGA4677	Server
[Dual CPU] Intel Xeon Platinum 8568Y+	48	125,432	2,978	350	FCLGA4677	Server
[Dual CPU] Intel Xeon Platinum 8480+	56	125,165	2,942	350	FCLGA4677	Server
AMD EPYC 9684X	96	120,780	2,883	400	SP5	Server
[Dual CPU] AMD EPYC 7J13	64	119,134	2,594	NA	Unknown	Server
[Dual CPU] Intel Xeon Platinum 8458P	44	117,136	2,841	350	FCLGA4677	Server
AMD EPYC 9654	96	116,990	2,907	360	SP5	Server
AMD EPYC 9R14	96	116,475	2,920	NA	Unknown	Server
[Dual CPU] AMD EPYC 7763	64	115,607	2,512	280	SP3	Server
[Dual CPU] AMD EPYC 7T83	64	114,770	2,532	280	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

AMD EPYC 9654P	96	113,949	2,616	360	SP5	Server
[Dual CPU] AMD EPYC 7713	64	113,896	2,575	225	SP3	Server
[Dual CPU] AMD Ryzen Threadripper PRO 3995WX	64	113,693	2,559	280	sWRX8	Desktop, Server
[Dual CPU] AMD EPYC 9274F	24	112,474	3,336	NA	SP5	Server
[Dual CPU] AMD EPYC 9354	32	112,027	2,881	280	SP5	Server
AMD EPYC 9554	64	111,635	2,929	360	SP5	Server
[Dual CPU] Intel Xeon Platinum 8462Y+	32	111,282	3,065	300	FCLGA4677	Server
AMD EPYC 9554P	64	110,790	2,942	360	SP5	Server
[Dual CPU] AMD EPYC 7773X	64	108,504	2,437	280	SP3	Server
[Dual CPU] AMD EPYC 7Y83	64	108,281	2,622	280	SP3	Mobile/Embedded
AMD EPYC 9634	84	107,944	2,924	290	SP5	Server
AMD EPYC 9474F	48	105,003	3,183	360	SP5	Server
[Dual CPU] Intel Xeon Gold 6448Y	32	104,805	3,277	225	FCLGA4677	Server
[Dual CPU] AMD EPYC 7573X	32	103,531	2,650	280	SP3	Server
[Dual CPU] AMD EPYC 7B12	64	102,240	2,145	240	SP3	Server
[Dual CPU] AMD EPYC 7K83	64	102,053	2,458	NA	Unknown	Server
[Dual CPU] AMD EPYC 75F3	32	101,429	2,664	280	SP3	Server
[Dual CPU] AMD Ryzen Threadripper PRO 3975WX	32	98,811	2,676	280	sWRX8	Desktop, Server
[Dual CPU] AMD EPYC 7543	32	98,074	2,621	240	SP3	Server
AMD EPYC 9754	128	97,836	2,431	360	SP5	Server
[Dual CPU] AMD EPYC 7H12	64	97,573	2,022	280	SP3	Server
AMD Ryzen Threadripper 7970X	32	97,534	4,131	350	sTR5	Desktop
[Dual CPU] AMD EPYC 7662	64	97,178	2,089	225	SP3	Server
[Dual CPU] AMD EPYC 7513	32	96,409	2,730	200	SP3	Server
AMD EPYC 9454P	48	95,917	2,993	290	SP5	Server
[Dual CPU] AMD EPYC 74F3	24	95,621	2,982	240	SP3	Server
AMD Ryzen Threadripper PRO 7975WX	32	94,926	4,069	350	sTR5	Desktop
[Dual CPU] AMD EPYC 7V73X	64	94,451	2,277	280	Unknown	Server
[Dual CPU] AMD EPYC 7742	64	94,081	2,046	225	SP3	Server
[Dual CPU] AMD EPYC 7642	48	94,050	2,140	225	SP3	Server
[Dual CPU] Intel Xeon Gold 6438Y+	32	93,306	3,273	205	FCLGA4677	Server
[Dual CPU] AMD EPYC 7702	64	93,263	2,077	200	SP3	Server
[Dual CPU] AMD EPYC 7K62	48	93,245	2,132	NA	SP3	Server
AMD Ryzen Threadripper PRO 5995WX	64	93,192	3,207	280	sWRX8	Desktop, Server
[Dual CPU] Intel Xeon Gold 6442Y	24	92,983	3,190	225	FCLGA4677	Server
[Dual CPU] AMD EPYC 7R12	48	92,961	2,142	200	SP3	Server
[Dual CPU] AMD EPYC 9224	24	92,938	2,866	200	Unknown	Server
Intel Xeon w9-3495X	56	91,712	3,468	350	FCLGA4677	Server
AMD EPYC 7773X	64	91,491	2,570	280	SP3	Server
[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz	40	91,257	2,400	270	FCLGA4189	Server
[Dual CPU] AMD EPYC 9174F	16	90,483	3,439	320	SP5	Unknown
Intel Xeon Platinum 8470 @ 2.00GHz	52	89,850	3,153	350	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

5420+						
AMD EPYC 9534	64	88,716	2,409	280	SP5	Server
[Dual CPU] AMD EPYC 7643	48	88,348	1,915	225	SP3	Server
[Quad CPU] Intel Xeon Platinum 8176M @ 2.10GHz	28	88,102	2,379	165	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz	38	88,038	2,345	270	FCLGA4189	Server
[Dual CPU] Intel Xeon Platinum 8369B @ 2.90GHz	32	87,459	2,499	270	FCLGA4189	Server
Intel Xeon Max 9480	56	87,420	2,926	350	FCLGA4677	Server
[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz	32	85,892	2,470	300	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6454S	32	85,725	2,355	270	FCLGA4677	Server
AMD EPYC 7J13	64	84,786	2,450	NA	Unknown	Server
[Dual CPU] Intel Xeon Gold 6430	32	84,745	2,622	NA	Unknown	Server
AMD EPYC 7763	64	84,706	2,528	280	SP3	Server
[Dual CPU] Intel Xeon Gold 6418H	24	84,526	2,901	185	FCLGA4677	Server
[Dual CPU] AMD EPYC 9184X	16	84,253	3,222	320	SP5	Server
[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	83,793	2,297	165	FCLGA3647	Server
AMD Ryzen Threadripper PRO 3995WX	64	83,761	2,598	280	sWRX8	Desktop, Server
AMD Ryzen Threadripper 7960X	24	83,308	4,091	350	sTR5	Desktop
[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz	32	82,970	2,347	250	FCLGA4189	Server
AMD EPYC 7V13	64	82,878	2,729	240	SP3	Server
[Dual CPU] Intel Xeon Gold 5418Y	24	82,784	3,094	185	FCLGA4677	Server
AMD EPYC 7713	64	82,666	2,637	225	SP3	Server
[Dual CPU] AMD EPYC 7532	32	82,196	2,139	200	SP3	Server
AMD EPYC 7R13 64-Core	48	82,158	2,752	NA	Unknown	Unknown
AMD Ryzen Threadripper PRO 7965WX	24	82,097	3,984	350	sTR5	Desktop
AMD EPYC 7663	56	82,087	2,606	240	SP3	Server
[Dual CPU] Intel Xeon Platinum 8358P @ 2.60GHz	32	82,052	2,378	240	FCLGA4189	Server
[Dual CPU] Intel Xeon Platinum 8338C @ 2.60GHz	32	81,817	2,439	250	FCLGA4189	Server
AMD EPYC 7T83	64	81,757	2,462	280	SP3	Server
[Dual CPU] AMD EPYC 7473X	24	81,282	2,201	240	SP3	Server
AMD EPYC 7713P	64	81,201	2,609	225	SP3	Server
AMD Ryzen Threadripper 3990X	64	80,828	2,564	280	sTRX4	Desktop
[Dual CPU] AMD EPYC 7453	28	80,327	2,371	225	SP3	Server
[Dual CPU] AMD EPYC 7502	32	80,300	2,189	180	SP3	Server
AMD EPYC 9374F	32	79,826	3,055	320	SP5	Server
[Dual CPU] Intel Xeon Gold 6544Y	16	79,819	3,227	270	FCLGA4677	Server
[Dual CPU] AMD EPYC 7452	32	77,746	2,160	155	SP3	Server
AMD EPYC 7B13	60	77,460	2,564	NA	Unknown	Server
[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	76,542	2,681	205	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

AMD EPYC 7643	48	76,050	2,691	225	SP3	Server
[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz	28	75,906	2,354	235	FCLGA4189	Server
AMD Ryzen Threadripper PRO 5975WX	32	75,782	3,313	280	sWRX8	Desktop, Server
[Dual CPU] Intel Xeon Gold 6548Y+	32	75,088	2,044	205	FCLGA4677	Server
[Dual CPU] AMD EPYC 7413	24	74,990	2,248	180	SP3	Server
Intel Xeon Platinum 8461V	48	74,982	2,855	300	FCLGA4677	Server
[Dual CPU] Intel Xeon Platinum 8336C	32	74,875	2,054	230	FCLGA4189	Server
[Dual CPU] AMD EPYC 7373X	16	74,709	2,761	240	SP3	Server
[Dual CPU] AMD EPYC 7R32	48	74,520	1,918	NA	Unknown	Server
[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz	24	74,003	2,376	230	FCLGA4189	Server
[Dual CPU] AMD EPYC 7343	16	73,934	2,806	190	SP3	Server
[Dual CPU] AMD EPYC 7542	32	73,885	2,073	225	SP3	Server
AMD EPYC 9274F	24	73,463	3,347	NA	SP5	Server
[Quad CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	72,905	2,379	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6526Y	16	72,849	3,207	195	FCLGA4677	Server
AMD EPYC 7662	64	72,653	2,117	225	SP3	Server
[Dual CPU] AMD EPYC 73F3	16	72,363	2,831	240	SP3	Server
[Dual CPU] AMD EPYC 7552	48	72,235	1,527	200	SP3	Server
AMD EPYC 8534P	64	71,900	2,441	200	SP6	Server
[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz	24	71,408	2,542	185	FCLGA4189	Server
[Dual CPU] AMD EPYC 7443	24	71,156	2,380	200	SP3	Server
AMD EPYC 7702	64	69,937	2,092	200	SP3	Server
AMD EPYC 7H12	64	69,633	1,774	280	SP3	Server
AMD EPYC 7742	64	69,629	2,158	225	SP3	Server
[Dual CPU] Intel Xeon Gold 6426Y	16	69,543	3,128	185	FCLGA4677	Server
AMD EPYC 7573X	32	69,432	2,674	280	SP3	Server
AMD EPYC 7C13	64	69,017	2,596	NA	Unknown	Server
[Dual CPU] Intel Xeon Gold 6444Y	16	68,969	3,273	270	FCLGA4677	Server
[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz	32	68,643	1,913	205	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz	32	68,563	2,185	205	FCLGA4189	Server
AMD EPYC 75F3	32	68,505	2,775	280	SP3	Server
Intel Xeon Platinum 8571N	52	68,385	1,969	300	FCLGA4677	Server
[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz	24	67,895	2,099	165	LGA2011-v3	Server
AMD EPYC 9354	32	67,842	2,310	280	SP5	Server
[Quad CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	67,444	2,190	125	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz	24	66,812	2,375	NA	Unknown	Server
AMD EPYC 9254	24	66,708	3,181	200	SP5	Server
AMD Ryzen Threadripper PRO 5965WX	24	66,689	3,358	280	sWRX8	Desktop, Server
AMD EPYC 7543P	32	66,687	2,741	225	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
📄 C6348						
📄 [Dual CPU] AMD EPYC 7313	16	66,528	2,609	155	SP3	Server
📄 AMD EPYC 8434P	48	66,490	2,448	200	SP6	Server
📄 AMD EPYC 7B12	64	66,044	1,927	240	SP3	Server
📄 [Dual CPU] AMD EPYC 7352	24	65,921	2,040	155	SP3	Server
📄 Intel Xeon w7-3465X	28	65,879	3,444	300	FCLGA4677	Server
📄 [Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz	32	65,860	1,955	185	FCLGA4189	Server
📄 [Dual CPU] AMD EPYC 7F52	16	65,787	2,453	240	SP3	Server
📄 Intel Xeon Gold 6530	32	65,533	3,330	270	FCLGA4677	Server
📄 [Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz	26	65,091	2,084	185	FCLGA4189	Server
📄 Intel Xeon w9-3475X	36	64,979	3,431	300	FCLGA4677	Server
📄 [Quad CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	64,957	2,260	125	FCLGA3647	Server
📄 AMD EPYC 7702P	64	64,943	2,120	200	SP3	Server
📄 [Dual CPU] Intel Xeon Silver 4416+	20	64,909	2,676	165	FCLGA4677	Server
📄 AMD EPYC 9334	32	64,841	2,367	NA	SP5	Server
📄 AMD EPYC 7R32	48	64,727	1,922	NA	Unknown	Server
📄 [Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz	18	64,487	2,480	205	FCLGA4189	Server
📄 [Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz	28	64,291	2,356	205	FCLGA3647	Server
📄 [Quad CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	64,115	1,921	165	FCLGA3647	Server
📄 [Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz	28	63,984	2,346	205	FCLGA3647	Server
📄 [Dual CPU] AMD Ryzen Threadripper PRO 3955WX	16	63,885	2,439	280	sWRX8	Desktop, Server
📄 [Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz	28	63,855	1,902	205	FCLGA4189	Server
📄 [Dual CPU] Intel Xeon Gold 5416S	16	63,499	3,310	150	FCLGA4677	Server
📄 [Dual CPU] AMD EPYC 7402	24	63,380	1,952	180	SP3	Server
📄 AMD Ryzen Threadripper 3970X	32	63,238	2,666	280	sTRX4	Desktop
📄 Intel Core i9-14900KS	24	63,159	4,882	150	FCLGA1700	Desktop
📄 AMD EPYC 4584PX	16	62,877	4,308	120	AM5	Server
📄 AMD Ryzen 9 7950X	16	62,790	4,280	170	AM5	Desktop
📄 AMD Ryzen Threadripper PRO 3975WX	32	62,685	2,657	280	sWRX8	Desktop, Server
📄 Intel Xeon Platinum 8454H	32	62,530	2,839	270	FCLGA4677	Server
📄 AMD Ryzen 9 7950X3D	16	62,406	4,141	120	AM5	Desktop
📄 Intel Xeon Platinum 8380 @ 2.30GHz	40	62,318	2,385	270	FCLGA4189	Server
📄 [Dual CPU] Intel Xeon Platinum 8268 @ 2.90GHz	24	62,130	2,347	205	FCLGA3647	Server
📄 AMD EPYC 4564P	16	62,058	4,309	170	AM5	Server
📄 [Dual CPU] Intel Xeon Platinum 8269CY @ 2.50GHz	26	61,811	2,053	NA	FCLGA3647	Server
📄 Intel Core i9-13900KS	24	61,746	4,755	150	FCLGA1700	Desktop
📄 [Quad CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	61,131	1,940	150	FCLGA3647	Server
📄 [Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz	24	61,068	2,335	205	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

⌵ [Dual CPU] Intel Xeon Gold 6268CL @ 2.80GHz	24	60,687	2,353	205	FCLGA3647	Server
⌵ AMD EPYC 74F3	24	60,666	2,942	240	SP3	Server
⌵ Intel Core i9-14900K	24	60,572	4,750	125	FCLGA1700	Desktop
⌵ [Quad CPU] Intel Xeon E7-8894 v4 @ 2.40GHz	24	60,496	1,858	165	FCLGA2011	Server
⌵ Intel Xeon Gold 6448Y	32	60,449	2,686	225	FCLGA4677	Server
⌵ Intel Xeon Gold 5512U	28	60,227	3,077	185	FCLGA4677	Server
⌵ [Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz	28	60,188	2,427	NA	Unknown	Server
⌵ Intel Core i9-14900KF	24	59,913	4,721	125	FCLGA1700	Desktop
⌵ [Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz	28	59,385	2,133	205	FCLGA3647	Server
⌵ AMD EPYC 7513	32	59,285	2,442	200	SP3	Server
⌵ AMD EPYC 7473X	24	59,280	2,751	240	SP3	Server
⌵ AMD Ryzen Threadripper PRO 7955WX	16	59,230	4,050	350	sTR5	Desktop
⌵ Intel Core i9-13900K	24	59,211	4,628	125	FCLGA1700	Desktop
⌵ [Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz	24	59,185	2,106	165	FCLGA4189	Server
⌵ Intel Xeon W-3375 @ 2.50GHz	38	59,069	2,643	270	FCLGA4189	Server
⌵ Intel Xeon W-3365 @ 2.70GHz	32	59,038	2,625	270	FCLGA4189	Server
⌵ Intel Xeon Gold 6421N	32	58,797	2,978	185	FCLGA4677	Server
⌵ Intel Xeon w7-2495X	24	58,670	3,583	225	FCLGA4677	Server
⌵ Intel Core i9-13900KF	24	58,581	4,621	125	FCLGA1700	Desktop
⌵ AMD EPYC 7543	32	58,303	2,307	240	SP3	Server
⌵ AMD EPYC 7642	48	58,248	2,045	225	SP3	Server
⌵ AMD Ryzen 9 7945HX3D	16	58,036	4,130	55	FL1	Laptop
⌵ [Dual CPU] AMD EPYC 7551	32	57,865	1,789	180	SP3	Server
⌵ [Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz	26	57,780	2,109	165	FCLGA3647	Server
⌵ Intel Xeon Gold 5420+	28	57,593	3,418	205	FCLGA4677	Server
⌵ Ampere ARM - 192 Core 3200 MHz	192	57,444	1,228	NA	Unknown	Server
⌵ Intel Xeon Gold 6423N	28	57,434	2,998	195	FCLGA4677	Server
⌵ [Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz	15	57,307	2,010	155	FCLGA2011	Server
⌵ ARM Neoverse-V2 72 Core 3519 MHz	72	57,240	2,340	NA	Unknown	Server
⌵ AMD EPYC 7443P	24	57,215	2,916	200	SP3	Server
⌵ Intel Xeon Gold 6414U	32	57,200	2,610	250	FCLGA4677	Server
⌵ Intel Xeon w7-3455	24	57,164	3,350	270	FCLGA4677	Server
⌵ [Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz	28	57,049	2,152	165	FCLGA3647	Server
⌵ AMD EPYC 7443	24	56,601	2,907	200	SP3	Server
⌵ AMD EPYC 8324P	32	56,482	2,369	180	SP6	Server
⌵ Intel Xeon Platinum 8375C @ 2.90GHz	32	56,202	2,474	300	FCLGA4189	Server
⌵ AMD EPYC 7K62	48	56,169	2,116	NA	SP3	Server
⌵ [Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz	24	55,974	2,358	165	FCLGA3647	Server
⌵ [Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz	16	55,568	2,461	205	FCLGA4189	Server
⌵ AMD EPYC 9174F	16	55,485	3,318	320	SP5	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks

8260M @ 2.30GHz						
[Dual CPU] AMD EPYC 7401	24	55,280	1,850	155	SP3	Server
[Dual CPU] AMD EPYC 7371	16	54,894	2,320	NA	SP3	Server
Intel Xeon w7-2475X	20	54,873	3,696	225	FCLGA4677	Server
AMD Ryzen Threadripper 3960X	24	54,870	2,681	280	sTRX4	Desktop
[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz	24	54,857	2,132	205	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz	24	54,849	2,042	210	LGA 3647	Server
AMD Ryzen 9 7945HX	16	54,738	4,050	55	FL1	Laptop
[Quad CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	54,647	1,657	150	FCLGA2011	Server
[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	54,621	1,786	120	FCLGA2011-3	Server
[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz	24	54,515	2,287	150	FCLGA3647	Server
Intel Xeon Platinum 8358 @ 2.60GHz	32	54,416	2,382	250	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz	20	54,272	2,371	205	FCLGA3647	Server
[Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	54,123	2,273	125	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz	16	54,086	2,354	185	FCLGA4189	Server
Intel Xeon Platinum 8360Y @ 2.40GHz	36	54,078	2,489	250	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz	18	53,981	2,338	200	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8176 @ 2.10GHz	28	53,835	2,040	165	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz	26	53,762	2,245	150	FCLGA3647	Server
[Dual CPU] AMD EPYC 7601	32	53,737	1,765	180	SP3	Server
[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz	20	53,687	2,150	150	FCLGA4189	Server
AMD Ryzen 9 7940HX	16	53,600	3,937	55	AM5 (LGA 1718)	Desktop, Laptop
Intel Core i7-14700K	20	53,453	4,477	125	FCLGA1700	Desktop
[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz	18	53,402	1,584	135	FCLGA2011-3	Server
[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz	24	53,398	2,217	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz	28	53,356	1,995	165	FCLGA3647	Server
Intel Core i7-14700KF	20	53,320	4,477	125	FCLGA1700	Desktop
AMD EPYC 7532	32	52,929	2,047	200	SP3	Server
Intel Xeon Gold 6438N	32	52,789	2,315	205	FCLGA4677	Server
Intel Xeon Gold 5412U	24	52,742	3,110	185	FCLGA4677	Server
[Dual CPU] AMD EPYC 7282	16	52,611	2,041	120	SP3	Server
AMD EPYC 7F72	24	52,597	2,381	240	SP3	Server
[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz	26	52,386	2,382	205	FCLGA3647	Server
Intel Xeon Gold 6348 @ 2.60GHz	28	52,276	2,459	235	FCLGA4189	Server
[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz	24	52,066	2,065	165	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

6266C @ 3.00GHz						
AMD Ryzen 9 7900X	12	51,817	4,263	170	AM5	Desktop
[Dual CPU] AMD EPYC 7451	24	51,778	1,948	180	SP3	Server
[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz	28	51,519	2,175	205	FCLGA3647	Server
[Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz	18	51,476	1,634	165	LGA2011-1	Server
[Dual CPU] AMD EPYC 7302	16	51,405	1,936	155	SP3	Server
Intel Core i9-13900F	24	51,236	4,436	65	FCLGA1700	Desktop
AMD EPYC 4484PX	12	51,115	4,251	120	AM5	Server
AMD EPYC 7552	48	51,104	2,175	200	SP3	Server
AMD EPYC 7453	28	50,575	2,522	225	SP3	Server
AMD EPYC 7502P	32	50,382	1,996	180	SP3	Server
[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz	28	50,348	2,144	165	FCLGA3647	Server
AMD Ryzen 9 7900X3D	12	50,347	4,122	120	AM5 (LGA 1718)	Desktop
AMD EPYC 9184X	16	50,344	3,196	320	SP5	Server
AMD EPYC 7413	24	50,223	2,365	180	SP3	Server
[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	50,157	1,574	150	LGA2011-1	Server
Apple M2 Ultra 24 Core	24	50,104	4,193	NA	Unknown	Desktop
AMD Ryzen Threadripper PRO 5955WX	16	50,032	3,341	280	sWRX8	Desktop, Server
[Dual CPU] AMD EPYC 72F3	8	50,017	3,034	180	SP3	Server
[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz	24	49,891	2,255	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz	18	49,872	2,401	205	FCLGA3647	Server
AMD Ryzen Threadripper PRO 7945WX	12	49,599	4,086	350	sTR5	Desktop
AMD EPYC 4464P	12	49,593	4,124	NA	AM5	Server
Intel Xeon Platinum 8347C @ 2.10GHz	36	49,386	2,445	210	LGA4189	Server
[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz	18	49,349	2,186	200	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz	24	49,282	2,037	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6252N @ 2.30GHz	24	49,269	1,942	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Silver 4410Y	12	49,077	3,147	150	FCLGA4677	Server
Montage Jintide C5418Y	24	49,045	2,341	185	LGA4677	Server
AMD EPYC 7R12	48	48,934	2,079	200	SP3	Server
AMD Ryzen 9 7900	12	48,837	4,151	65	AM5	Desktop
[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz	18	48,775	2,019	NA	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz	18	48,736	2,308	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz	12	48,676	2,683	NA	Unknown	Server
Intel Core i9-14900F	24	48,482	4,579	65	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Gold 6246R @ 3.40GHz	16	48,396	2,402	205	FCLGA3647	Server
[Dual CPU] Intel Xeon Silver 4410T	10	48,208	3,084	150	FCLGA4677	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.30GHz						
AMD EPYC 7502	32	47,983	2,021	180	SP3	Server
Intel Core i9-14900	24	47,976	4,582	65	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Silver 4514Y	16	47,912	2,121	150	FCLGA4677	Server
AMD Ryzen 9 PRO 7945	12	47,847	4,174	65	AM5 (LGA 1718)	Desktop, Server
[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz	24	47,488	1,886	135	Unknown	Server
Intel Core i9-13900	24	47,407	4,343	65	FCLGA1700	Desktop
Intel Xeon Gold 6342 @ 2.80GHz	24	47,320	2,431	230	FCLGA4189	Server
Intel Core i9-13980HX	24	47,230	4,307	55	FCBGA1964	Laptop
Intel Xeon w7-3445	20	47,108	3,251	270	FCLGA4677	Server
[Quad CPU] Intel Xeon E7-8891 v4 @ 2.80GHz	10	47,104	2,130	165	FCLGA2011	Server
[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz	18	47,054	2,121	165	FCLGA3647	Server
Intel Xeon w5-2465X	16	46,855	3,511	200	FCLGA4677	Server
[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz	12	46,766	2,634	205	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz	20	46,721	2,112	150	FCLGA3647	Server
Intel Xeon Platinum 8368Q @ 2.60GHz	38	46,681	2,568	270	FCLGA4189	Server
Intel Core i7-13700K	16	46,502	4,362	125	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz	16	46,473	2,392	205	FCLGA3647	Server
Intel Xeon w5-3435X	16	46,466	3,469	324	FCLGA4677	Server
Intel Core i7-13790F	16	46,309	4,159	65	FCLGA1700	Desktop
Intel Core i7-13700KF	16	46,265	4,354	125	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz	22	46,225	2,033	140	FCLGA3647	Server
Intel Xeon Silver 4416+	20	46,208	3,233	165	FCLGA4677	Server
Intel Core i9-14900HX	24	46,144	4,288	55	FCBGA1964	Laptop
AMD EPYC 73F3	16	46,103	2,883	240	SP3	Server
[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz	16	46,066	2,190	135	FCLGA4189	Server
Intel Xeon Gold 6526Y	16	46,025	3,242	195	FCLGA4677	Server
[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz	16	46,001	1,730	165	FCLGA2011	Server
AMD EPYC 7402	24	45,873	2,125	180	SP3	Server
Intel Xeon W-3345 @ 3.00GHz	24	45,694	2,426	250	FCLGA4189	Server
AMD Ryzen 9 7845HX	12	45,665	3,973	55	FL1	Laptop
AMD Ryzen 9 5950X	16	45,641	3,469	105	AM4	Desktop
Intel Xeon Gold 6336Y @ 2.40GHz	24	45,517	2,522	185	FCLGA4189	Server
[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	45,066	1,798	155	LGA 2011-1	Server
AMD EPYC 7542	32	45,003	2,102	225	SP3	Server
AMD EPYC 8224P	24	44,990	2,367	160	SP6	Server
Intel Xeon Gold 6538N	32	44,895	1,725	205	FCLGA4677	Server
[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz	20	44,839	2,120	125	FCLGA3647	Server
AMD EPYC 7452	32	44,759	1,990	155	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

5415+						
[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz	22	44,633	2,092	145	FCLGA2011-3	Server
Intel Core i9-13900HX	24	44,514	4,141	55	FCBGA1964	Laptop
Intel Xeon Gold 5418Y	24	44,487	1,961	185	FCLGA4677	Server
[Dual CPU] AMD EPYC 7272	12	44,270	2,019	120	SP3	Server
Intel Core i9-14900T	24	44,248	4,192	35	FCLGA1700	Desktop
Intel Core i7-14700F	20	44,205	4,326	65	FCLGA1700	Desktop
AMD EPYC 7343	16	44,189	2,718	190	SP3	Server
Intel Core i7-14700	20	44,153	4,209	65	FCLGA1700	Desktop
Intel Core i9-13900T	24	44,059	4,209	35	FCLGA1700	Desktop
Intel Core i9-12900KS	16	44,038	4,348	150	LGA 1700	Desktop
AMD EPYC 9124	16	43,963	2,729	200	SP5	Server
[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz	18	43,913	2,096	240	FCLGA3647	Server
AMD EPYC 7402P	24	43,905	2,023	180	SP3	Server
Intel Core i9-13950HX	24	43,898	4,030	55	FCBGA1964	Laptop
[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz	22	43,733	2,110	145	FCLGA2011-3	Server
ARM Neoverse-N1 128 Core 3000 MHz	128	43,229	1,323	NA	Unknown	Server
ARM Neoverse-N1 128 Core 2800 MHz	128	43,111	1,239	NA	Unknown	Server
Intel Xeon Gold 6330 @ 2.00GHz	28	43,056	2,034	205	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz	20	42,866	2,095	125	FCLGA3647	Server
AMD EPYC 7D12	32	42,852	1,891	85	Unknown	Server
AMD EPYC 9224	24	42,448	2,057	200	Unknown	Server
[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz	12	42,206	2,490	165	FCLGA3647	Server
Intel Xeon Gold 6312U @ 2.40GHz	24	42,124	2,344	185	FCLGA4189	Server
Intel Xeon Gold 6338N @ 2.20GHz	32	42,086	2,066	185	FCLGA4189	Server
[Dual CPU] Intel Xeon Platinum 6162 @ 1.90GHz	24	42,073	1,587	150	FCLGA3647	Server
AMD EPYC 7313P	16	42,058	2,707	155	SP3	Server
[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz	18	41,925	2,211	125	FCLGA3647	Server
Intel Xeon Gold 6426Y	16	41,625	3,035	185	FCLGA4677	Server
[Dual CPU] Intel Xeon Silver 4509Y	8	41,561	2,774	125	FCLGA4677	Server
Intel Xeon W-3275 @ 2.50GHz	28	41,554	2,718	205	FCLGA3647	Server
Intel Core i9-12900K	16	41,477	4,165	241	FCLGA1700	Desktop
Intel Xeon Gold 6354 @ 3.00GHz	18	41,445	2,450	205	FCLGA4189	Server
[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz	22	41,353	2,121	150	FCLGA2011-3	Server
[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	41,232	1,446	135	FCLGA2011-3	Server
Apple M1 Ultra 20 Core	20	41,136	3,868	60	Unknown	Desktop
Intel Core i9-12900KF	16	41,134	4,164	241	FCLGA1700	Desktop
[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	41,126	1,628	105	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

5218N @ 2.30GHz						
[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz	16	40,853	2,184	150	FCLGA3647	Server
Intel Xeon Platinum 8275CL @ 3.00GHz	24	40,794	2,386	NA	Unknown	Server
[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz	20	40,707	2,202	120	FCLGA3647	Server
[Quad CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	40,698	2,221	130	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz	16	40,674	2,149	150	FCLGA3647	Server
Intel Xeon Gold 6416H	18	40,606	2,860	165	FCLGA4677	Server
Apple M3 Max 16 Core	16	40,578	4,779	78	Unknown	Laptop
AMD Ryzen Threadripper PRO 5945WX	12	40,542	3,354	280	sWRX8	Desktop, Server
[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz	20	40,534	2,193	125	FCLGA3647	Server
AMD Ryzen Threadripper PRO 3955WX	16	40,348	2,680	280	sWRX8	Desktop, Server
AMD EPYC 7F52	16	40,251	2,471	240	SP3	Server
[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz	12	40,249	2,334	150	FCLGA4189	Server
[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz	18	40,210	1,954	NA	LGA 3647	Server
[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz	18	40,145	2,118	140	FCLGA3647	Server
AMD EPYC 7352	24	40,096	1,969	155	SP3	Server
[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz	20	40,064	1,620	125	FCLGA3647	Server
Intel Xeon W-3275M @ 2.50GHz	28	39,834	2,723	205	FCLGA3647	Server
[Dual CPU] AMD EPYC 7F32	8	39,712	2,415	180	SP3	Server
Intel Core i5-14600KF	14	39,448	4,297	125	FCLGA1700	Desktop
[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz	20	39,349	2,103	135	FCLGA2011-3	Server
[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz	15	39,311	1,610	130	LGA 2011	Server
Intel Xeon W-3335 @ 3.40GHz	16	39,293	2,673	250	FCLGA4189	Server
Intel Core i5-14600K	14	39,245	4,284	125	FCLGA1700	Desktop
AMD Ryzen 9 5900X	12	39,150	3,470	105	AM4	Desktop
AMD EPYC 7313	16	39,091	2,417	155	SP3	Server
Intel Core i7-13700F	16	38,930	4,125	65	FCLGA1700	Desktop
AMD Ryzen 9 3950X	16	38,776	2,705	105	AM4	Desktop
Intel Core i7-14700T	20	38,482	4,060	35	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz	12	38,392	2,346	165	FCLGA3647	Server
Intel Xeon Platinum 8180 @ 2.50GHz	28	38,259	2,142	205	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz	18	38,157	2,094	145	FCLGA2011-3	Server
AMD EPYC 7551P	32	38,117	1,771	180	SP3	Server
Intel Core i7-14650HX	16	38,079	3,938	157	FCBGA1964	Laptop
Intel Core i5-13600K	14	38,010	4,141	125	FCLGA1700	Desktop
Intel Xeon w5-2455X	12	37,918	3,564	200	FCLGA4677	Server
Intel Core i7-13850HX	20	37,915	3,836	55	FCBGA1964	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

▼ v4 @ 2.30GHz						
▼ [Dual CPU] Intel Xeon E7-8880 v4 @ 2.20GHz	22	37,875	1,647	150	FCLGA2011	Server
▼ Intel Core i5-13600KF	14	37,830	4,133	125	FCLGA1700	Desktop
▼ Intel Xeon Gold 6346 @ 3.10GHz	16	37,665	2,483	205	FCLGA4189	Server
▼ Intel Xeon Gold 5320 @ 2.20GHz	26	37,558	1,826	185	FCLGA4189	Server
▼ [Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz	16	37,551	2,057	NA	FCLGA3647	Server
▼ Intel Xeon Gold 6238R @ 2.20GHz	28	37,511	2,362	165	FCLGA3647	Server
▼ Intel Xeon W-3175X @ 3.10GHz	28	37,167	2,148	255	FCLGA3647	Desktop
▼ Intel Core i7-13700	16	37,140	4,136	65	FCLGA1700	Desktop
▼ AMD Ryzen AI 9 HX 370	12	37,080	4,202	28	FP8	Desktop, Laptop
▼ Intel Core i9-12900F	16	36,810	4,069	65	FCLGA1700	Desktop
▼ Intel Xeon w5-3425	12	36,590	3,360	270	FCLGA4677	Server
▼ AMD EPYC 8124P	16	36,470	2,373	125	SP6	Server
▼ [Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz	8	36,428	2,471	140	FCLGA4189	Server
▼ Intel Xeon Gold 5416S	16	36,400	3,050	150	FCLGA4677	Server
▼ Intel Xeon Gold 6330N @ 2.20GHz	28	36,360	2,322	165	FCLGA4189	Server
▼ [Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz	12	36,304	1,935	130	FCLGA2011	Server
▼ [Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	36,266	1,554	115	FCLGA2011	Server
▼ Apple M3 Max 14 Core	14	36,250	4,755	78	Unknown	Laptop
▼ Intel Xeon Gold 6248R @ 3.00GHz	24	36,186	2,301	205	FCLGA3647	Server
▼ Intel Core i7-14700HX	20	36,168	3,859	55	FCBGA1964	Laptop
▼ [Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz	12	36,074	2,171	150	FCLGA3647	Server
▼ AMD Ryzen 7 7700X	8	35,911	4,208	105	AM5	Desktop
▼ AMD EPYC 4364P	8	35,865	4,220	105	AM5	Server
▼ [Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz	16	35,527	2,094	150	FCLGA3647	Server
▼ [Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz	16	35,440	2,229	125	FCLGA3647	Server
▼ Intel Xeon Gold 6326 @ 2.90GHz	16	35,270	2,365	185	FCLGA4189	Server
▼ AMD EPYC 4344P	8	35,191	4,094	65	AM5	Server
▼ [Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz	8	35,164	2,705	185	FCLGA3647	Server
▼ [Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz	18	35,080	1,908	120	FCLGA2011-3	Server
▼ Intel Core i9-12900TE	16	35,057	3,926	35	FCLGA1700	Mobile/Embedded
▼ Intel Core i5-14600	14	35,047	4,073	65	FCLGA1700	Desktop
▼ [Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz	16	35,036	2,014	105	Unknown	Server
▼ Intel Xeon Gold 6242R @ 3.10GHz	20	34,963	2,424	205	FCLGA3647	Server
▼ [Dual CPU] AMD EPYC 7252	8	34,911	2,095	120	SP3	Server
▼ [Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz	8	34,757	2,516	165	FCLGA4189	Server
▼ Intel Core i7-13700E	16	34,728	3,272	65	FCLGA1700	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks ▼

ARM Neoverse-N1 80 Core 3000 MHz	80	34,639	1,326	NA	Unknown	Server
Intel Core i7-12700K	12	34,613	4,031	190	FCLGA1700	Desktop
[Dual CPU] Intel Xeon E7-8880 v3 @ 2.30GHz	18	34,583	1,787	150	LGA2011-1	Server
AMD Ryzen 9 PRO 5945	12	34,573	3,497	NA	AM4	Desktop
Intel Xeon Gold 6268CL @ 2.80GHz	24	34,558	2,278	205	FCLGA3647	Server
AMD Ryzen 7 7700	8	34,554	4,059	65	AM5	Desktop
[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz	14	34,541	2,178	140	FCLGA3647	Server
Intel Xeon Platinum 8268 @ 2.90GHz	24	34,483	2,255	205	FCLGA3647	Server
AMD Ryzen 9 5900	12	34,400	3,449	65	AM4	Desktop
Intel Core i7-12700KF	12	34,400	4,014	190	FCLGA1700	Desktop
Intel Core i9-12900	16	34,310	4,049	65	FCLGA1700	Desktop
Intel Xeon w5-3433	16	34,297	2,593	220	FCLGA4677	Server
AMD Ryzen 7 7800X3D	8	34,243	3,748	120	AM5	Desktop
[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz	16	34,232	2,131	125	FCLGA3647	Server
[Dual CPU] AMD EPYC 7262	8	34,227	2,023	155	SP3	Server
[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz	18	34,198	1,967	145	LGA2011-v3	Server
Intel Xeon Silver 4510	12	34,170	3,396	150	FCLGA4677	Server
[Dual CPU] AMD EPYC 7301	16	34,148	1,654	155	SP3	Server
[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz	22	34,102	1,497	145	FCLGA2011-3	Server
Intel Core i9-12900HX	16	34,095	3,836	55	FCBGA1964	Laptop
AMD EPYC 7601	32	34,079	1,890	180	SP3	Server
Intel Core i9-13900E	24	34,049	3,592	65	FCLGA1700	Mobile/Embedded
[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz	16	33,994	2,157	145	FCLGA2011-3	Server
Intel Xeon Platinum 8260M @ 2.30GHz	24	33,970	2,315	165	LGA3647	Server
Intel Core i7-13700HX	16	33,845	3,875	55	FCBGA1964	Laptop
Intel Xeon Gold 6338 @ 2.00GHz	32	33,814	2,206	205	FCLGA4189	Server
Intel Xeon D-2799 @ 2.40GHz	20	33,792	2,404	129	FCBGA2579	Server
Intel Xeon Gold 6230R @ 2.10GHz	26	33,724	2,236	150	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz	18	33,650	1,831	145	FCLGA2011-3	Server
[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz	8	33,625	2,559	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6248 @ 2.50GHz	20	33,619	1,931	150	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz	16	33,586	1,939	125	FCLGA3647	Server
[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz	12	33,582	1,925	120	FCLGA4189	Server
AMD Ryzen Threadripper PRO 3945WX	12	33,527	2,703	280	sWRX8	Desktop, Server
Intel Xeon Gold 5220R @ 2.20GHz	24	33,370	2,399	150	FCLGA3647	Server
Intel Xeon Gold 6240R @ 2.40GHz	24	33,353	2,312	165	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.10GHz						
Intel Xeon Platinum 8168 @ 2.70GHz	24	33,099	2,092	205	FCLGA3647	Server
AMD EPYC 7302	16	33,002	2,013	155	SP3	Server
[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz	18	33,001	2,060	145	LGA2011-v3	Server
Intel Xeon Gold 6278C @ 2.60GHz	26	32,835	2,019	185	FCLGA3647	Server
Intel Xeon W-3265M @ 2.70GHz	24	32,810	2,659	205	FCLGA3647	Desktop, Server
Intel Core i9-10980XE @ 3.00GHz	18	32,804	2,651	165	FCLGA2066	Desktop
Intel Xeon Platinum 8280 @ 2.70GHz	28	32,781	2,029	205	FCLGA3647	Server
AMD Ryzen 7 7745HX	8	32,773	3,958	55	AM5 (LGA 1718)	Laptop
AMD EPYC 7302P	16	32,740	1,881	155	SP3	Server
AMD Ryzen 9 3900XT	12	32,689	2,746	105	AM4	Desktop
AMD Ryzen 9 3900X	12	32,639	2,706	105	AM4	Desktop
Intel Core i5-14500	14	32,606	4,007	65	FCLGA1700	Desktop
AMD Ryzen 7 PRO 8700G	8	32,522	3,998	65	AM5	Desktop
Intel Core i9-12950HX	16	32,386	3,826	55	FCBGA1964	Laptop
[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	32,381	2,013	130	FCLGA2011	Server
Intel Core i5-13600	14	32,314	4,052	65	FCLGA1700	Desktop
Intel Xeon w5-2445	10	32,269	3,385	175	FCLGA4677	Server
Intel Core i7-12800HX	16	32,243	3,740	55	FCBGA1964	Laptop
[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz	10	32,150	1,563	95	FCLGA2011	Server
AMD Ryzen Threadripper 2990WX	32	32,142	2,279	250	sTR4	Desktop, Server
[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz	12	32,062	2,203	125	FCLGA3647	Server
Intel Core i9-9980XE @ 3.00GHz	18	32,044	2,565	165	FCLGA2066	Desktop
[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz	14	32,035	2,104	135	FCLGA2011-3	Server
Intel Core i5-13500	14	31,971	3,888	65	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz	8	31,783	2,456	105	FCLGA4189	Server
AMD Ryzen 9 PRO 8945HS	8	31,774	3,984	45	FP7 FP7r2	Desktop, Laptop, Server
AMD Ryzen 7 8700G	8	31,750	3,934	65	AM5	Desktop
AMD Ryzen 9 PRO 3900	12	31,609	2,692	65	AM4	Desktop
Intel Core i9-13900HK	14	31,569	3,979	45	FCBGA1744	Laptop
Intel Core i7-13650HX	14	31,552	3,827	55	FCBGA1964	Laptop
[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz	18	31,494	1,549	135	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz	16	31,372	2,006	135	LGA2011-v3	Server
Intel Xeon Silver 4316 @ 2.30GHz	20	31,341	1,928	150	FCLGA4189	Server
AMD Ryzen 9 8945H	8	31,313	4,002	45	FP7 FP7r2 FP8	Desktop, Laptop
Intel Xeon Platinum 8259CL @ 2.50GHz	24	31,142	1,955	210	LGA 3647	Server
AMD EPYC 7371	16	31,094	2,377	NA	SP3	Server
Intel Xeon Gold 6254 @ 3.10GHz	18	31,034	2,367	200	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

⌵ [Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz	8	30,862	2,390	130	FCLGA3647	Server
⌵ Intel Xeon W-3245 @ 3.20GHz	16	30,824	2,578	205	FCLGA3647	Server
⌵ AMD Ryzen 9 3900	12	30,818	2,622	65	AM4	Desktop
⌵ Intel Core i7-12700	12	30,779	3,912	65	FCLGA1700	Desktop
⌵ [Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz	16	30,722	1,643	125	FCLGA3647	Server
⌵ Intel Core i7-12850HX	16	30,714	3,708	55	FCBGA1964	Laptop
⌵ Intel Core i7-12700F	12	30,654	3,873	65	FCLGA1700	Desktop
⌵ Intel Xeon W-2295 @ 3.00GHz	18	30,640	2,631	165	FCLGA2066	Server
⌵ Intel Xeon Platinum 8171M @ 2.60GHz	26	30,632	2,222	165	FCLGA3647	Server
⌵ AMD EPYC Embedded 7292P	16	30,542	2,091	NA	Unknown	Server
⌵ [Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz	16	30,507	1,754	125	FCLGA3647	Server
⌵ Intel Xeon Gold 6246R @ 3.40GHz	16	30,468	2,341	205	FCLGA3647	Server
⌵ [Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz	12	30,442	2,114	125	FCLGA3647	Server
⌵ AMD Ryzen 9 7940HS	8	30,402	3,903	54	FP7 FP7r2 FP8	Laptop
⌵ Intel Core i5-13500HX	14	30,362	3,666	55	FCBGA1964	Laptop
⌵ Intel Core i9-9960X @ 3.10GHz	16	30,360	2,608	165	FCLGA2066	Desktop
⌵ AMD Ryzen 7 PRO 8700GE	8	30,356	3,979	35	AM5	Desktop
⌵ Intel Xeon Platinum 8260 @ 2.40GHz	24	30,347	2,239	165	FCLGA3647	Server
⌵ [Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz	16	30,184	1,780	100	FCLGA3647	Server
⌵ Intel Core i9-9990XE @ 4.00GHz	14	30,162	2,970	255	LGA2066	Desktop
⌵ Intel Core i9-7980XE @ 2.60GHz	18	30,117	2,476	165	FCLGA2066	Desktop
⌵ Intel Xeon W-3265 @ 2.70GHz	24	30,105	2,572	205	FCLGA3647	Server
⌵ Intel Core i9-12900T	16	30,093	3,818	35	FCLGA1700	Desktop
⌵ AMD Ryzen Threadripper 2970WX	24	30,009	2,327	250	sTR4	Desktop, Server
⌵ Intel Core i9-13905H	14	29,992	3,655	45	FCBGA1792	Laptop
⌵ Intel Xeon Platinum 8270 @ 2.70GHz	26	29,986	2,325	205	FCLGA3647	Server
⌵ AMD EPYC 7282	16	29,983	1,887	120	SP3	Server
⌵ [Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz	8	29,954	2,466	150	FCLGA3647	Server
⌵ [Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz	16	29,874	1,830	120	FCLGA2011-3	Server
⌵ [Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz	14	29,862	1,859	120	LGA2011-v3	Server
⌵ Intel Core i7-12800HE	14	29,805	3,313	45	FCBGA1744	Mobile/Embedded
⌵ Intel Xeon E-2488	8	29,795	4,272	95	FCLGA1700	Server
⌵ [Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz	10	29,717	2,354	165	FCLGA2011-3	Server
⌵ [Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz	14	29,566	1,730	105	FCLGA3647	Server
⌵ AMD Ryzen 9 8945HS	8	29,531	3,869	45	FP7 FP7r2 FP8	Desktop, Laptop
⌵ Intel Xeon Gold 6248 @ 2.50GHz	20	29,504	2,291	150	FCLGA3647	Server
⌵ Intel Core i5-14600T	14	29,449	4,153	35	FCLGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2950X						
Intel Core i7-12700E	12	29,384	3,777	65	FCLGA1700	Desktop, Mobile/Embedded
[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz	12	29,243	1,992	100	FCLGA3647	Server
Intel Core Ultra 9 185H	16	29,062	3,710	45	FCBGA2049	Laptop
Intel Xeon Gold 6148 @ 2.40GHz	20	29,009	2,152	150	FCLGA3647	Server
AMD Ryzen 7 PRO 8845HS	8	29,007	3,845	45	FP7 FP7r2	Desktop, Laptop, Server
Intel Core i9-13900H	14	28,995	3,857	45	FCBGA1744	Laptop
Intel Xeon Silver 4314 @ 2.40GHz	16	28,954	2,215	135	FCLGA4189	Server
AMD Ryzen 7 7840HS	8	28,933	3,783	54	FP7 FP7r2 FP8	Laptop
Intel Xeon w5-3423	12	28,925	3,012	270	FCLGA4677	Server
Intel Xeon Gold 6210U @ 2.50GHz	20	28,915	2,203	150	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz	12	28,864	2,079	160	FCLGA2011-3	Server
Intel Xeon Silver 4410T	10	28,859	3,094	150	FCLGA4677	Server
Intel Core i9-7960X @ 2.80GHz	16	28,833	2,497	165	FCLGA2066	Desktop
Intel Xeon Platinum 8160 @ 2.10GHz	24	28,825	2,077	150	FCLGA3647	Server
Intel Xeon Gold 6238 @ 2.10GHz	22	28,668	1,878	140	FCLGA3647	Server
AMD Ryzen 7 8845HS	8	28,632	3,741	45	FP7 FP7r2 FP8	Desktop, Laptop
Intel Xeon Gold 6154 @ 3.00GHz	18	28,632	2,239	200	FCLGA3647	Server
Intel Core i5-14500HX	14	28,612	3,546	55	FCBGA1964	Laptop
AMD Ryzen 9 7940H	8	28,608	3,996	54	FP7 FP7r2 FP8	Laptop
AMD EPYC 7303	16	28,572	1,460	130	SP3	Server
Intel Xeon Gold 6253CL @ 3.10GHz	18	28,549	2,311	205	FCLGA3647	Server
AMD EPYC 7401P	24	28,546	1,731	155	SP3	Server
[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz	8	28,538	2,202	130	FCLGA3647	Server
AMD Ryzen 7 7840H	8	28,485	3,740	54	FP7 FP7r2 FP8	Laptop
[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz	14	28,473	1,962	120	FCLGA2011-3	Server
Intel Xeon D-2795NT @ 2.00GHz	20	28,463	2,192	110	FCBGA2579	Server
Intel Xeon Gold 6240 @ 2.60GHz	18	28,369	1,990	150	FCLGA3647	Server
Intel Xeon W-2191B @ 2.30GHz	18	28,307	2,527	140	FCLGA2066	Server
AMD Ryzen 7 5800X3D	8	28,281	3,230	105	AM4	Desktop
AMD Ryzen 9 PRO 7940HS	8	28,232	3,728	45	FP7 FP7r2	Laptop
[Quad CPU] Intel Xeon E5-4650L @ 2.60GHz	8	28,193	1,439	115	LGA 2011	Server
[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz	16	28,182	1,756	120	FCLGA2011-3	Server
Intel Xeon Platinum 8252C @ 3.80GHz	12	28,147	2,700	NA	Unknown	Server
Intel Xeon W-2195 @ 2.30GHz	18	28,121	2,447	140	FCLGA2066	Server
Intel Core i9-12900H	14	28,067	3,791	45	FCBGA1744	Laptop
ARM Neoverse-N1 64 Core 0 MHz	64	28,064	1,089	NA	Unknown	Server
Intel Core i5-13500E	14	28,036	3,858	65	FCLGA1700	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.00GHz						
Intel Core i9-9940X @ 3.30GHz	14	27,983	2,630	165	FCLGA2066	Desktop
Intel Xeon W-2275 @ 3.30GHz	14	27,937	2,752	165	FCLGA2066	Desktop
Intel Core i9-10940X @ 3.30GHz	14	27,899	2,668	165	FCLGA2066	Desktop
AMD Ryzen 7 8845H	8	27,881	3,704	45	FP7 FP7r2 FP8	Desktop, Laptop
AMD Ryzen 7 5800X	8	27,873	3,445	105	AM4	Desktop
[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz	14	27,797	1,748	105	FCLGA2011-3	Server
Intel Core i5-12600K	10	27,719	3,950	150	FCLGA1700	Desktop
AMD Ryzen 7 PRO 8840HS	8	27,714	3,807	28	FP7 FP7r2 FP8	Desktop, Laptop
[Dual CPU] Hygon C86 S316 16-core	16	27,680	1,677	NA	Unknown	Desktop
AMD Ryzen Threadripper 1950X	16	27,564	2,275	180	sTR4	Desktop
Intel Core i5-13600HX	14	27,520	3,646	55	FCBGA1964	Laptop
Intel Core i5-12600KF	10	27,513	3,927	150	FCLGA1700	Desktop
Intel Core i5-13490F	10	27,496	3,894	65	FCLGA1700	Desktop
Intel Core i9-12900HK	14	27,476	3,641	45	FCBGA1744	Laptop
Intel Xeon Gold 6212U @ 2.40GHz	24	27,470	2,013	165	FCLGA3647	Server
AMD EPYC 7571	32	27,445	1,934	120	SP3	Server
Intel Xeon Gold 5317 @ 3.00GHz	12	27,387	2,361	150	FCLGA4189	Server
Intel Xeon Gold 6150 @ 2.70GHz	18	27,337	2,144	165	FCLGA3647	Server
Intel Xeon Platinum 8124M @ 3.00GHz	18	27,336	2,091	NA	FCLGA3647	Server
Intel Core i7-13700H	14	27,333	3,647	45	FCBGA1744	Laptop
Intel Xeon D-2775TE @ 2.00GHz	16	27,299	2,203	100	FCBGA2579	Unknown
AMD EPYC 72F3	8	27,252	3,070	180	SP3	Server
Intel Core i5-13600T	14	27,250	3,736	35	FCLGA1700	Desktop
Intel Core i7-13700T	16	27,185	3,882	35	FCLGA1700	Desktop
Intel Xeon Gold 6252 @ 2.10GHz	24	27,148	1,883	150	FCLGA3647	Server
Intel Xeon Gold 6208U @ 2.90GHz	16	27,085	2,265	150	FCLGA3647	Server
Intel Xeon Gold 6230 @ 2.10GHz	20	27,069	2,269	125	FCLGA3647	Server
Intel Core i7-13800H	14	27,038	3,582	45	FCBGA1744	Laptop
[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz	8	27,008	1,549	130	LGA2011	Server
[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz	14	26,894	1,926	105	FCLGA2011-3	Server
Apple M3 Pro 12 Core	12	26,875	4,633	27	Unknown	Laptop
Intel Xeon W-3245M @ 3.20GHz	16	26,814	2,571	205	FCLGA3647	Server
[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz	14	26,794	1,499	105	Unknown	Server
AMD Ryzen 7 5700X	8	26,675	3,382	65	AM4	Desktop
Intel Core i9-12900E	16	26,666	3,515	65	FCLGA1700	Mobile/Embedded
Intel Xeon Platinum 8175M @ 2.50GHz	24	26,659	1,903	NA	FCLGA3647	Server
AMD Ryzen 7 PRO 7840HS	8	26,560	3,482	54	FP7 FP7r2 FP8	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

MHz						
🔽 [Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz	14	26,460	1,939	145	LGA2011-v3	Server
🔽 Apple M2 Pro 12 Core 3480 MHz	12	26,421	4,109	NA	Unknown	Laptop
🔽 [Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz	12	26,418	1,926	135	LGA2011-v3	Server
🔽 AMD Ryzen 7 5700X3D	8	26,359	2,985	105	AM4	Desktop
🔽 Intel Xeon D-2796TE @ 2.00GHz	20	26,342	2,172	118	FCBGA2579	Server
🔽 Intel Xeon w3-2435	8	26,334	3,407	165	FCLGA4677	Server
🔽 Intel Xeon Gold 6226R @ 2.90GHz	16	26,297	2,271	150	FCLGA3647	Server
🔽 Intel Xeon Gold 6242 @ 2.80GHz	16	26,288	2,196	150	FCLGA3647	Server
🔽 Intel Core Ultra 7 165H	16	26,285	3,510	28	FCBGA2049	Laptop
🔽 Intel Core i9-10920X @ 3.50GHz	12	26,251	2,724	165	FCLGA2066	Desktop
🔽 Intel Core i7-12700H	14	26,189	3,587	45	FCBGA1744	Laptop
🔽 [Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz	12	26,054	1,786	85	FCLGA3647	Server
🔽 Intel Core i9-7940X @ 3.10GHz	14	26,025	2,488	165	FCLGA2066	Desktop
🔽 Intel Xeon W-2265 @ 3.50GHz	12	25,986	2,805	165	FCLGA2066	Server
🔽 [Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz	15	25,966	1,316	130	LGA 2011-1	Server
🔽 AMD Ryzen 7 PRO 5845	8	25,961	3,439	65	AM4	Desktop
🔽 Intel Core i5-14400	10	25,875	3,785	148	FCLGA1700	Desktop
🔽 Intel Xeon W-3323 @ 3.50GHz	12	25,875	2,617	220	FCLGA4189	Desktop, Server
🔽 AMD Ryzen Threadripper 2990X	32	25,874	2,312	250	TR4	Desktop
🔽 AMD EPYC 7451	24	25,863	1,955	180	SP3	Server
🔽 [Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz	14	25,851	1,630	105	FCLGA2011-3	Server
🔽 Intel Core i5-14400F	10	25,826	3,717	148	FCLGA1700	Desktop
🔽 Intel Core i5-14400T	10	25,774	3,741	82	FCLGA1700	Desktop
🔽 AMD Ryzen 7 5800	8	25,767	3,388	65	AM4	Desktop
🔽 AMD EPYC 7351P	16	25,657	1,788	155	SP3	Server
🔽 Intel Xeon E5-2699A v4 @ 2.40GHz	22	25,654	1,973	145	FCLGA2011-3	Server
🔽 Intel Xeon E5-2698R v4 @ 2.20GHz	20	25,605	2,243	NA	FCLGA2011-3	Server
🔽 Intel Xeon Gold 5515+	8	25,587	3,406	165	FCLGA4677	Server
🔽 Intel Xeon E-2468	8	25,579	3,948	65	FCLGA1700	Server
🔽 AMD EPYC 7272	12	25,568	1,948	120	SP3	Server
🔽 [Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz	12	25,538	1,675	85	FCLGA3647	Server
🔽 Intel Xeon W-3235 @ 3.30GHz	12	25,519	2,632	180	FCLGA3647	Server
🔽 Intel Core i5-13450HX	10	25,489	3,579	55	FCBGA1964	Laptop
🔽 Intel Xeon E5-2699 v4 @ 2.20GHz	22	25,477	1,947	145	FCLGA2011-3	Server
🔽 [Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz	8	25,455	2,089	115	FCLGA3647	Server
🔽 Intel Xeon Gold 6152 @ 2.10GHz	22	25,441	2,006	140	FCLGA3647	Server
🔽 [Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz	14	25,440	1,643	65	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

AMD Ryzen Threadripper 2920X	12	25,414	2,490	180	sTR4	Desktop
Intel Xeon Platinum 8167M @ 2.00GHz	26	25,396	1,455	NA	FCLGA3647	Server
Apple M4 10 Core	10	25,381	4,503	NA	Unknown	Mobile/Embedded
Intel Xeon W-1390P @ 3.50GHz	8	25,304	3,566	125	FCLGA1200	Desktop, Server
Intel Core i9-11900K @ 3.50GHz	8	25,278	3,517	125	FCLGA1200	Desktop
Intel Core i7-13620H	10	25,259	3,681	45	FCBGA1744	Laptop
Intel Xeon Gold 6142 @ 2.60GHz	16	25,215	2,143	150	FCLGA3647	Server
Intel Core i5-13400F	10	25,213	3,653	148	FCLGA1700	Desktop
[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz	12	25,210	1,719	105	FCLGA3647	Server
Intel Core i9-9920X @ 3.50GHz	12	25,163	2,639	165	FCLGA2066	Desktop
AMD Ryzen Z1 Extreme	8	25,151	3,618	NA	Unknown	Mobile/Embedded
Intel Core Ultra 7 155H	16	25,151	3,547	28	Unknown	Laptop
Intel Core i9-11900KF @ 3.50GHz	8	25,080	3,542	125	FCLGA1200	Desktop
[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz	15	25,055	1,790	155	LGA 2011-1	Server
AMD Ryzen 7 PRO 7840U	8	25,026	3,715	30	Unknown	Laptop
AMD Ryzen 7 7840U	8	25,021	3,601	30	Unknown	Laptop
Intel Xeon Gold 5415+	8	24,951	3,247	150	FCLGA4677	Server
AMD EPYC 7501	32	24,925	1,925	155	SP3	Server
Intel Xeon Gold 6434	8	24,836	2,759	195	FCLGA4677	Server
Intel Xeon E5-2696 v4 @ 2.20GHz	22	24,834	2,141	150	FCLGA2011-3	Server
Intel Xeon Gold 6246 @ 3.30GHz	12	24,829	2,468	165	FCLGA3647	Server
AMD Ryzen 9 6900HX	8	24,823	3,443	45	FP7	Laptop
Intel Core i7-12800H	14	24,810	3,481	45	FCBGA1744	Laptop
AMD Ryzen 7 7435HS	8	24,789	3,339	45	FP7r2	Desktop, Laptop
Intel Xeon Gold 6143 @ 2.80GHz	16	24,786	2,248	205	FCLGA3647	Server
Intel Xeon Gold 6222V @ 1.80GHz	20	24,764	2,054	115	FCLGA3647	Server
Intel Xeon Gold 5218R @ 2.10GHz	20	24,742	2,234	125	FCLGA3647	Server
Apple M3 Pro 11 Core	11	24,643	4,745	27	Unknown	Laptop
AMD Ryzen 7 7840S	8	24,635	3,680	54	FP7 FP7r2 FP8	Laptop
Intel Core i7-11700K @ 3.60GHz	8	24,619	3,407	125	FCLGA1200	Desktop
Intel Core i5-12600HE	12	24,599	3,772	65	BGA 1744	Mobile/Embedded
[Quad CPU] Intel Xeon E7-4870 @ 2.40GHz	10	24,580	1,109	130	LGA1567	Server
Intel Core i5-12600HX	12	24,579	3,699	55	FCBGA1964	Laptop
AMD Ryzen 7 5700G	8	24,554	3,283	65	AM4	Desktop
AMD EPYC 7551	32	24,534	1,758	180	SP3	Server
Intel Xeon Gold 6140 @ 2.30GHz	18	24,445	2,109	140	FCLGA3647	Server
[Quad CPU] Intel Xeon E7-8870 @ 2.40GHz	10	24,434	1,124	130	LGA1567	Server
Intel Core i5-13400	10	24,423	3,624	154	FCLGA1700	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

🔽 [Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz	16	24,421	1,575	120	FCLGA2011-3	Server
🔽 [Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz	10	24,383	1,851	85	FCLGA3647	Server
🔽 Intel Xeon Silver 4410Y	12	24,357	2,368	150	FCLGA4677	Server
🔽 [Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz	12	24,281	1,775	120	LGA2011-v3	Server
🔽 [Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz	12	24,262	1,779	120	LGA2011-v3	Server
🔽 AMD Ryzen 7 8840HS	8	24,256	3,624	28	FP7 FP7r2 FP8	Desktop, Laptop
🔽 Intel Core i5-13600H	12	24,255	3,696	45	FCBGA1744	Laptop
🔽 [Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz	14	24,244	1,634	120	LGA2011-v3	Server
🔽 AMD Ryzen 7 5700	8	24,214	3,229	NA	AM4	Desktop
🔽 AMD Ryzen 7 7735H	8	24,207	3,323	54	FP7	Laptop
🔽 AMD Ryzen 7 PRO 8840U	8	24,180	3,619	28	FP7 FP7r2	Desktop, Laptop, Server
🔽 [Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz	10	24,156	1,960	135	LGA2011-v3	Server
🔽 Intel Xeon Gold 5220 @ 2.20GHz	18	24,154	2,266	125	FCLGA3647	Server
🔽 [Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz	10	24,147	1,944	160	LGA2011-v3	Server
🔽 Intel Xeon E5-2679 v4 @ 2.50GHz	20	24,131	1,992	200	FCLGA2011-3	Server
🔽 AMD Ryzen 7 7735HS	8	24,116	3,358	54	FP7	Laptop
🔽 Intel Xeon W-1370P @ 3.60GHz	8	24,105	3,514	125	FCLGA1200	Desktop, Server
🔽 [Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz	8	24,102	1,945	130	FCLGA3647	Server
🔽 [Dual CPU] Intel Xeon Platinum 8479 @ 2.00GHz	28	24,087	2,453	350	FCLGA4677	Server
🔽 [Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz	8	24,066	2,189	135	FCLGA2011-3	Server
🔽 Intel Xeon W-2170B @ 2.50GHz	14	24,033	2,296	NA	FCLGA-2066	Server
🔽 Intel Core i7-11700KF @ 3.60GHz	8	23,970	3,383	125	FCLGA1200	Desktop
🔽 Intel Xeon W-1390 @ 2.80GHz	8	23,902	3,414	80	FCLGA1200	Server
🔽 Intel Xeon Gold 6122 @ 1.80GHz	20	23,781	2,157	120	FCLGA3647	Server
🔽 Intel Core i5-14500T	14	23,776	3,699	35	FCLGA1700	Desktop
🔽 Intel Xeon Gold 6138 @ 2.00GHz	20	23,775	2,041	125	FCLGA3647	Server
🔽 Intel Core i9-7920X @ 2.90GHz	12	23,680	2,508	140	FCLGA2066	Desktop
🔽 Intel Core i7-13705H	14	23,662	3,477	45	FCBGA1792	Laptop
🔽 AMD Ryzen 9 6900HS	8	23,644	3,295	35	FP7	Laptop
🔽 Intel Xeon E5-2698 v4 @ 2.20GHz	20	23,625	2,157	135	FCLGA2011-3	Server
🔽 AMD Ryzen 7 3800XT	8	23,622	2,802	105	AM4	Desktop
🔽 Intel Xeon E-2388G @ 3.20GHz	8	23,616	3,444	95	FCLGA1200	Server
🔽 Qualcomm Snapdragon X Elite - X1E-84-100	12	23,576	3,966	NA	Unknown	Laptop
🔽 Qualcomm Snapdragon X Elite - X1E-78-100	12	23,569	3,259	23	Unknown	Laptop
🔽 AMD EPYC 7351	16	23,566	1,821	155	SP3	Server
🔽 AMD Ryzen 9 5980HX	8	23,530	3,342	45	FP6	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

AMD Ryzen 7 6800H	8	23,464	3,252	45	FP7	Laptop
AMD EPYC 7F32	8	23,453	2,466	180	SP3	Server
[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz	10	23,438	1,805	85	FCLGA3647	Server
Intel Core i5-13500T	14	23,404	3,636	92	FCLGA1700	Desktop
Intel Xeon W-2175 @ 2.50GHz	14	23,345	2,471	140	FCLGA2066	Server
[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz	12	23,331	1,677	120	LGA2011	Server
Intel Xeon Gold 6146 @ 3.20GHz	12	23,296	2,309	165	FCLGA3647	Server
Intel Xeon Platinum 8176 @ 2.10GHz	28	23,179	2,048	165	FCLGA3647	Server
AMD Ryzen 7 3800X	8	23,159	2,718	105	AM4	Desktop
Intel Core Ultra 5 135H	14	23,113	3,546	28	FCBGA2049	Laptop
AMD Ryzen Threadripper 1920X	12	23,104	2,319	180	sTR4	Desktop
Intel Core i7-13700TE	16	23,074	3,228	35	FCLGA1700	Laptop
Intel Xeon W-1370 @ 2.90GHz	8	23,014	3,471	80	FCLGA1200	Desktop, Server
Qualcomm Snapdragon X Elite - X1E-80-100	12	22,997	3,387	NA	Unknown	Laptop
[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz	12	22,995	1,726	105	FCLGA2011-3	Server
AMD Ryzen 7 6800HS	8	22,989	3,219	35	FP7	Laptop
[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz	12	22,969	1,721	130	FCLGA2011	Server
Intel Core i9-11900 @ 2.50GHz	8	22,943	3,426	65	FCLGA1200	Desktop
AMD Ryzen 7 PRO 3700	8	22,916	2,685	65	AM4	Desktop
AMD Ryzen 7 PRO 6850H	8	22,908	3,234	45	FP7	Laptop
Intel Core i9-11900KB @ 3.30GHz	8	22,894	3,303	65	FCBGA1787	Desktop
Intel Core i9-11980HK @ 2.60GHz	8	22,866	3,283	45	FCBGA1787	Laptop
Intel Core i5-12600H	12	22,864	3,580	45	FCBGA1744	Laptop
Intel Core i9-10900K @ 3.70GHz	10	22,845	3,132	125	FCLGA1200	Desktop
Intel Core i5-13500H	12	22,789	3,550	45	Unknown	Laptop
[3-Way CPU] Intel Xeon E7-8860 v4 @ 2.20GHz	18	22,737	757	140	FCLGA2011	Server
Intel Core Ultra 5 125H	14	22,723	3,562	28	FCBGA2049	Laptop
Intel Core i7-12650H	10	22,706	3,599	45	FCBGA1744	Laptop
AMD Ryzen 9 PRO 6950HS	8	22,697	3,405	35	FP7	Laptop
[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz	10	22,687	1,811	100	FCLGA3647	Server
Intel Xeon Platinum P-8124 @ 3.00GHz	18	22,674	2,059	240	FCLGA3647	Server
Intel Core i7-11700B @ 3.20GHz	8	22,652	3,341	65	Unknown	Desktop
Intel Xeon Silver 4310 @ 2.10GHz	12	22,642	2,187	120	FCLGA4189	Server
Qualcomm Snapdragon X Plus X1P-64-100	10	22,626	3,255	NA	Unknown	Laptop
Intel Core i9-10900KF @ 3.70GHz	10	22,575	3,120	125	FCLGA1200	Desktop
[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz	12	22,570	1,653	110	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.60GHz						
[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz	12	22,559	1,573	105	FCLGA2011-3	Server
AMD Ryzen 7 3700X	8	22,557	2,660	65	AM4	Desktop
AMD Ryzen 9 5900HX	8	22,551	3,194	45	FP6	Laptop
Intel Core i9-10900X @ 3.70GHz	10	22,479	2,682	165	FCLGA2066	Desktop
AMD Ryzen 9 PRO 6950H	8	22,447	3,203	45	FP7	Laptop
Intel Xeon W-1290P @ 3.70GHz	10	22,442	3,168	125	FCLGA1200	Server
AMD Ryzen 7 5700GE	8	22,436	3,352	35	AM4	Desktop
Apple M4 9 Core	9	22,436	4,511	NA	Unknown	Mobile/Embedded
Intel Core i9-10850K @ 3.60GHz	10	22,420	3,079	125	FCLGA1200	Desktop
Intel Xeon E5-2699C v4 @ 2.20GHz	22	22,397	1,534	145	FCLGA2011-3	Server
Intel Core i9-11900F @ 2.50GHz	8	22,380	3,408	65	FCLGA1200	Desktop
[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz	8	22,379	1,810	85	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz	12	22,350	1,705	120	LGA2011-v3	Server
Intel Xeon W-2255 @ 3.70GHz	10	22,345	2,715	165	FCLGA2066	Desktop, Server
[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz	10	22,336	1,951	135	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz	10	22,331	1,832	105	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2618L v4 @ 2.20GHz	10	22,319	1,947	75	FCLGA2011-3	Server
AMD Ryzen 7 7736U	8	22,195	3,338	28	FP7	Laptop
Intel Xeon E5-2696 v3 @ 2.30GHz	18	22,148	2,099	145	LGA2011-v3	Server
AMD Ryzen 9 5900HS Creator Edition	8	22,138	3,275	35	Unknown	Laptop
AMD Ryzen 7 PRO 6850HS	8	22,114	3,285	35	FP7	Laptop
AMD Ryzen Threadripper 1920	12	22,066	2,299	140	sTR4	Desktop
[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz	10	22,066	1,953	85	FCLGA3647	Server
Apple M1 Max 10 Core 3200 MHz	10	22,051	3,837	NA	Unknown	Desktop, Laptop
Intel Xeon Gold 5218 @ 2.30GHz	16	21,986	2,237	125	FCLGA3647	Server
Intel Xeon Gold 6132 @ 2.60GHz	14	21,947	2,131	140	FCLGA3647	Server
AMD Ryzen 7 PRO 5750GE	8	21,893	3,306	35	AM4	Desktop
[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz	12	21,875	1,718	120	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz	12	21,856	1,576	105	LGA2011-v3	Server
Apple M1 Pro 10 Core 3200 MHz	10	21,851	3,806	NA	Unknown	Desktop, Laptop
AMD Ryzen 9 6900HS Creator Edition	8	21,838	3,325	35	FP7	Laptop
Intel Core i9-9900X @ 3.50GHz	10	21,825	2,562	165	FCLGA2066	Desktop
Intel Xeon Gold 6262 @ 1.90GHz	24	21,823	1,701	135	Unknown	Server
[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz	12	21,819	1,596	115	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.10GHz						
AMD Ryzen 7 6800HS Creator Edition	8	21,766	3,230	35	FP7	Laptop
[Quad CPU] AMD Opteron 6376	8	21,745	1,185	115	Socket G34	Server
AMD Ryzen 9 5900HS	8	21,684	3,164	35	FP6	Laptop
Apple M2 Pro 10 Core 3480 MHz	10	21,677	4,102	NA	Unknown	Desktop, Laptop
[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz	10	21,671	1,958	120	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz	10	21,669	1,842	130	FCLGA2011	Server
AMD EPYC 7281	16	21,621	1,626	155	SP3	Server
Intel Xeon E7-8891 v3 @ 2.80GHz	10	21,615	1,715	165	LGA2011-v3	Server
Intel Core i7-12700T	12	21,581	3,628	35	FCLGA1700	Desktop
[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz	12	21,548	1,291	115	FCLGA2011	Server
Intel Xeon Gold 6334 @ 3.60GHz	8	21,521	2,545	165	FCLGA4189	Server
Intel Core i5-13500TE	14	21,478	3,711	35	FCLGA1700	Mobile/Embedded
Intel Core i9-10910 @ 3.60GHz	10	21,445	3,154	125	FCLGA1200	Desktop
Intel Xeon E5-2697A v4 @ 2.60GHz	16	21,433	2,083	145	FCLGA2011-3	Server
Intel Xeon Gold 5218T @ 2.10GHz	16	21,433	2,282	105	Unknown	Server
[Quad CPU] Intel Xeon E7-4850 @ 2.00GHz	10	21,385	931	130	LGA1567	Server
[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz	8	21,374	1,392	95	LGA2011	Server
AMD Ryzen 7 7735U	8	21,321	3,285	28	FP7	Laptop
AMD Ryzen 9 5980HS	8	21,318	3,192	35	FP6	Laptop
[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz	10	21,283	1,786	115	FCLGA2011	Server
[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz	8	21,271	1,981	110	LGA 2011	Server
Intel Core i9-11950H @ 2.60GHz	8	21,247	3,185	45	FCBGA1787	Laptop
[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz	10	21,231	1,891	90	FCLGA2011-3	Server
Intel Core i5-12500H	12	21,222	3,474	45	FCBGA1744	Laptop
AMD Ryzen 7 5800HS Creator Edition	8	21,166	3,100	NA	Unknown	Laptop
[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz	8	21,159	2,017	130	LGA 2011	Server
Intel Xeon E-2378G @ 2.80GHz	8	21,153	3,352	80	FCLGA1200	Server
Intel Core i5-13400T	10	21,147	3,507	82	FCLGA1700	Desktop
Intel Core i9-7900X @ 3.30GHz	10	21,099	2,559	140	FCLGA2066	Desktop
Intel Xeon E5-2697 v4 @ 2.30GHz	18	21,094	2,008	145	FCLGA2011-3	Server
Intel Xeon W-2155 @ 3.30GHz	10	21,085	2,606	140	FCLGA2066	Server
AMD Ryzen 7 5800H	8	21,042	3,047	45	FP6	Laptop
Intel Core i7-11700F @ 2.50GHz	8	21,027	3,288	65	FCLGA1200	Desktop
Intel Core i7-7900X @ 3.30GHz	10	21,008	2,455	140	FCLGA2066	Desktop
Intel Xeon Silver 4310T @ 2.30GHz	10	20,973	2,288	105	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

4114 @ 2.20GHz						
Intel Xeon Gold 6250 @ 3.90GHz	8	20,915	2,703	185	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz	8	20,899	1,964	135	LGA2011-v3	Server
AMD Ryzen 7 PRO 6860Z	8	20,863	3,167	28	Unknown	Laptop
Intel Xeon E5-2697R v4 @ 2.30GHz	18	20,843	2,007	145	FCLGA2011-3	Server
Intel Xeon Gold 5315Y @ 3.20GHz	8	20,820	2,480	140	FCLGA4189	Server
AMD Ryzen 7 PRO 6850U	8	20,806	3,234	28	FP7	Laptop
Intel Xeon Gold 6136 @ 3.00GHz	12	20,796	2,207	150	FCLGA3647	Server
AMD EPYC 7262	8	20,795	2,036	155	SP3	Server
Intel Xeon E5-2673 v4 @ 2.30GHz	20	20,709	2,097	135	FCLGA2011-3	Server
Intel Xeon Gold 6130 @ 2.10GHz	16	20,666	2,068	125	FCLGA3647	Server
Intel Xeon Gold 6138T @ 2.00GHz	20	20,649	2,087	125	FCLGA3647	Server
Intel Core i9-11900H @ 2.50GHz	8	20,626	3,133	45	FCBGA1787	Laptop
Intel Xeon D-2753NT @ 2.00GHz	12	20,626	2,082	87	FCBGA2579	Server
Intel Xeon Silver 4216 @ 2.10GHz	16	20,613	1,807	100	FCLGA3647	Server
Intel Core i7-12650HX	14	20,612	2,457	55	FCBGA1964	Laptop, Mobile/Embedded
[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz	8	20,611	1,988	150	FCLGA2011	Server
AMD Ryzen 9 5900H	8	20,557	2,977	NA	AM4	Laptop
AMD EPYC 8024P	8	20,556	2,371	90	SP6	Server
Intel Core i7-11850H @ 2.50GHz	8	20,550	3,120	45	FCBGA1787	Laptop
AMD Ryzen 7 6800U	8	20,538	3,206	28	Unknown	Laptop
Intel Core i7-11800H @ 2.30GHz	8	20,515	3,079	45	FCBGA1787	Laptop
Intel Xeon W-2150B @ 3.00GHz	10	20,515	2,690	NA	FCLGA2066	Server
AMD Ryzen 7 PRO 4750G	8	20,475	2,715	65	AM4	Desktop
Intel Xeon Gold 6226 @ 2.70GHz	12	20,429	2,064	125	FCLGA3647	Server
Intel Xeon E5-2686 v4 @ 2.30GHz	18	20,428	1,813	145	FCLGA2011-3	Server
Intel Core i7-1280P	14	20,375	3,325	28	FCBGA1744	Laptop
[Quad CPU] Intel Xeon E7-4860 @ 2.27GHz	10	20,367	1,092	130	LGA1567	Server
AMD Ryzen 7 Pro 7735U	8	20,360	3,226	28	FP7	Laptop
Intel Xeon E5-4667 v4 @ 2.20GHz	18	20,319	1,757	135	FCLGA2011-3	Server
Intel Xeon E5-2699 v3 @ 2.30GHz	18	20,318	1,900	145	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz	10	20,294	1,722	135	FCLGA2011-3	Server
Intel Xeon W-11865MRE @ 2.60GHz	8	20,292	3,067	45	FCBGA1787	Server, Mobile/Embedded
Intel Xeon D-1747NTE @ 2.50GHz	10	20,279	2,208	80	FCBGA2227	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2200 MHz						
[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz	12	20,233	1,522	120	LGA2011-v3	Server
Intel Core i7-1370P	14	20,215	3,554	28	FCBGA1744	Laptop
AMD Ryzen Embedded V3C48	8	20,203	2,804	45	Unknown	Mobile/Embedded
Intel Core i5-1250P	12	20,187	3,537	28	BGA1700	Laptop
AMD Ryzen 7 4700G	8	20,149	2,742	65	AM4	Desktop
AMD Ryzen 7 5800HS	8	20,145	3,036	35	FP6	Laptop
Intel Core i9-9820X @ 3.30GHz	10	20,114	2,456	165	FCLGA2066	Desktop
Intel CoreT i5-1350P	12	20,087	3,630	28	FCBGA1744	Mobile/Embedded
Intel Xeon W-1290 @ 3.20GHz	10	20,071	3,086	80	FCLGA1200	Server
Intel Core i5-1340PE	12	20,041	3,690	28	FCBGA1744	Mobile/Embedded
Intel Xeon Gold 6144 @ 3.50GHz	8	19,993	2,509	150	FCLGA3647	Server
Intel Core i9-10900F @ 2.80GHz	10	19,986	3,030	65	FCLGA1200	Desktop
[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz	8	19,981	1,012	105	LGA1567	Server
[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz	12	19,950	1,334	65	LGA2011-v3	Server
Intel Core i9-10900 @ 2.80GHz	10	19,840	3,030	65	FCLGA1200	Desktop
AMD Ryzen 7 4700GE	8	19,831	2,681	35	AM4	Desktop
AMD Ryzen 7 PRO 4700G	8	19,786	2,668	65	AM4	Desktop
Intel Core i7-11700 @ 2.50GHz	8	19,780	3,118	95	FCLGA1200	Desktop
[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz	10	19,759	1,617	105	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz	10	19,755	1,800	55	FCLGA2011-3	Server
Intel Xeon E5-2690 v4 @ 2.60GHz	14	19,584	2,073	135	FCLGA2011-3	Server
AMD EPYC 3451	16	19,532	1,700	NA	Unknown	Server
Apple M3 8 Core	8	19,531	4,831	20	Unknown	Desktop, Laptop, Mobile/Embedded
Intel Core i9-9900KS @ 4.00GHz	8	19,493	3,037	127	FCLGA1151-2	Desktop
Intel Core i9-10900E @ 2.80GHz	10	19,456	2,891	65	FCLGA1200	Desktop, Mobile/Embedded
Intel Xeon W-2245 @ 3.90GHz	8	19,453	2,737	155	FCLGA2066	Server
Intel Xeon E5-2695 v4 @ 2.10GHz	18	19,449	1,868	120	FCLGA2011-3	Server
AMD EPYC 7252	8	19,411	2,020	120	SP3	Server
Intel Xeon D-2183IT @ 2.20GHz	16	19,377	1,719	100	FCBGA2518	Server
Intel Xeon Gold 6137 @ 3.90GHz	16	19,365	2,499	205	FCLGA-3647	Server
Intel Core i7-1360P	12	19,282	3,559	28	FCBGA1744	Laptop
Intel Core i5-1350P	12	19,222	3,590	28	FCBGA1744	Laptop
[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz	10	19,213	1,723	85	FCLGA2011-3	Server
AMD Ryzen 7 PRO 7730U	8	19,185	3,085	15	Unknown	Laptop
AMD Ryzen 9 4900H	8	19,161	2,706	45	FP6	Laptop
Intel Xeon D-2752TER @ 1.80GHz	12	19,102	1,990	77	FCBGA2579	Server
Intel Xeon Silver 4309Y @ 2.80GHz	8	19,100	2,420	105	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

▼ v2 @ 2.50GHz						
▼ [Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz	8	19,039	1,767	85	FCLGA3647	Server
▼ [Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz	10	19,028	1,373	95	LGA 2011	Server
▼ [Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz	10	19,022	1,555	95	LGA 1356	Server
▼ AMD Ryzen 9 4900HS	8	18,987	2,599	35	FP6	Laptop
▼ Intel Xeon Gold 6244 @ 3.60GHz	8	18,980	2,546	150	FCLGA3647	Server
▼ Intel Xeon E5-2676 v4 @ 2.40GHz	16	18,978	1,730	145	FCLGA2011-3	Server
▼ Intel Core i9-11900T @ 1.50GHz	8	18,968	3,326	35	FCLGA1200	Desktop
▼ Intel Xeon E5-2698 v3 @ 2.30GHz	16	18,929	1,922	135	LGA2011-v3	Server
▼ Intel Core i5-12450HX	8	18,911	3,436	148	FCBGA1964	Laptop
▼ Intel Core i7-11850HE @ 2.60GHz	8	18,899	3,001	35	FCBGA1787	Mobile/Embedded
▼ [Dual CPU] Intel Xeon E5-2628L v4 @ 1.90GHz	12	18,895	1,462	75	FCLGA2011-3	Server
▼ Hygon C86 7255 16-core	16	18,831	1,490	NA	Unknown	Server
▼ ARM Neoverse-N1 80 Core 2600 MHz	80	18,823	1,127	NA	Unknown	Server
▼ Intel Core i7-10700K @ 3.80GHz	8	18,803	3,052	125	FCLGA1200	Desktop
▼ Intel Xeon W-1290E @ 3.50GHz	10	18,786	2,806	95	FCLGA1200	Server
▼ Intel Core i5-1340P	12	18,783	3,534	28	FCBGA1744	Laptop
▼ Intel Xeon E5-2682 v4 @ 2.50GHz	16	18,769	1,864	120	FCLGA2011-3	Server
▼ Intel Xeon E5-2697 v3 @ 2.60GHz	14	18,690	1,983	145	LGA2011-v3	Server
▼ Intel Core i5-13420H	8	18,675	3,466	45	FCBGA1744	Laptop
▼ AMD Ryzen 7 7730U	8	18,638	3,063	15	FP6	Laptop
▼ Intel Xeon W-1270E @ 3.40GHz	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
▼ Intel Core i7-10700KF @ 3.80GHz	8	18,628	3,045	125	FCLGA1200	Desktop
▼ Intel Xeon W-1270P @ 3.80GHz	8	18,553	3,023	95	FCLGA1200	Server
▼ AMD Ryzen 7 4800H	8	18,540	2,615	45	FP6	Laptop
▼ [Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz	10	18,491	1,423	95	LGA 2011	Server
▼ AMD Ryzen 7 5800U	8	18,483	3,043	15	FP6	Laptop
▼ Intel Xeon Gold 6126 @ 2.60GHz	12	18,441	2,067	125	FCLGA3647	Server
▼ AMD Ryzen 7 PRO 4750GE	8	18,431	2,684	35	AM4	Desktop
▼ Intel Xeon W-1290T @ 1.90GHz	10	18,409	2,974	35	FCLGA1200	Server
▼ AMD Ryzen 7 5825U	8	18,400	3,059	15	AM4	Laptop
▼ AMD Ryzen 7 4800HS	8	18,355	2,575	45	FP6	Laptop
▼ Intel Xeon Silver 4214R @ 2.40GHz	12	18,342	1,968	100	FCLGA3647	Server
▼ Intel Core i9-9900KF @ 3.60GHz	8	18,304	2,931	95	FCLGA1151-2	Desktop
▼ Intel Core i9-9900K @ 3.60GHz	8	18,282	2,930	95	FCLGA1151-2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

 CPU Benchmarks 

 v2 @ 2.40GHz						
 Intel Xeon E7-8880 v3 @ 2.30GHz	18	18,244	1,612	150	LGA2011-1	Server
 Intel Xeon E5-2686 v3 @ 2.00GHz	18	18,148	1,910	120	LGA2011-v3	Server
 Intel Xeon W-2145 @ 3.70GHz	8	18,132	2,609	140	FCLGA2066	Server
 Intel Xeon Gold 5120T @ 2.20GHz	14	18,127	1,849	105	FCLGA3647	Server
 AMD 4700S	8	18,091	2,398	NA	Unknown	Desktop
 Intel Core i7-9800X @ 3.80GHz	8	18,070	2,569	165	FCLGA2066	Desktop
 Intel Xeon D-2187NT @ 2.00GHz	16	18,070	1,425	110	FCBGA2518	Server
 Intel Core i7-1270PE	12	17,960	3,715	28	FCBGA1744	Mobile/Embedded
 Intel Core Ultra 5 125U	12	17,879	3,387	15	FCBGA2049	Laptop
 [Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	17,849	1,512	95	FCLGA2011	Server
 Intel Xeon D-1736NT @ 2.70GHz	8	17,826	2,392	67	FCBGA2227	Server
 Intel Xeon E5-2680 v4 @ 2.40GHz	14	17,773	1,956	120	FCLGA2011-3	Server
 Intel Xeon E5-2687W v4 @ 3.00GHz	12	17,755	2,037	160	FCLGA2011-3	Server
 Intel Xeon Gold 6234 @ 3.30GHz	8	17,752	2,393	130	FCLGA3647	Server
 [Dual CPU] Intel Xeon E5-2687W @ 3.10GHz	8	17,750	1,738	150	LGA2011	Server
 Intel Core i5-1250PE	12	17,738	2,823	28	FCBGA1744	Mobile/Embedded
 AMD EPYC 7232P	8	17,731	1,767	120	SP3	Server
 Intel Core Ultra 7 165U	12	17,691	3,410	15	Unknown	Laptop
 Intel Xeon Gold 5120 @ 2.20GHz	14	17,686	1,847	105	FCLGA3647	Server
 Intel Xeon E5-2683 v4 @ 2.10GHz	16	17,681	1,709	120	FCLGA2011-3	Server
 Intel Xeon W-1270 @ 3.40GHz	8	17,641	3,026	80	FCLGA1200	Server
 AMD Ryzen 7 2700X	8	17,525	2,421	105	AM4	Desktop
 Intel Core Ultra 5 135U	12	17,508	3,339	28	Unknown	Laptop
 Intel Xeon E5-2680R v4 @ 2.40GHz	14	17,487	1,904	120	FCLGA2011-3	Server
 AMD Ryzen 7 4980U Microsoft Surface Edition	8	17,469	2,752	15	FP6	Laptop
 Intel Xeon E5-4669 v3 @ 2.10GHz	18	17,430	1,474	135	FCLGA2011-3	Server
 Intel Xeon E-2288G @ 3.70GHz	8	17,423	2,901	95	FCLGA1151-2	Server
 Intel Core i7-1270P	12	17,420	3,403	28	BGA1700	Laptop
 [Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz	8	17,395	1,670	95	FCLGA2011	Server
 Intel Core i7-6950X @ 3.00GHz	10	17,392	2,337	140	LGA2011-v3	Desktop
 Intel Core 5 120U	10	17,385	3,825	15	FCBGA1744	Mobile/Embedded
 Intel Xeon E-2378 @ 2.60GHz	8	17,364	3,268	65	FCLGA1200	Server
 [Quad CPU] Intel Xeon E7-8837 @ 2.67GHz	8	17,333	1,011	130	LGA1567	Server
 Intel Xeon W-2140B @ 3.20GHz	8	17,309	2,552	NA	FCLGA2066	Server
 Intel Atom P5362	24	17,276	1,193	83	FCBGA2106	Server
 [Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz	8	17,258	1,637	85	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

▼ v3 @ 2.60GHz						
▼ Intel Core i5-1240P	12	17,194	3,281	28	FCBGA1744	Laptop
▼ Intel Core i7-12700TE	12	17,189	2,875	35	FCLGA1700	Laptop, Mobile/Embedded
▼ [Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz	8	17,176	1,715	85	LGA2011-v3	Server
▼ Apple M1 Pro 8 Core 3200 MHz	8	17,174	3,773	NA	Unknown	Desktop, Laptop
▼ Intel Xeon W-3223 @ 3.50GHz	8	17,166	2,449	160	FCLGA3647	Server
▼ Intel Core i7-7820X @ 3.60GHz	8	17,133	2,522	140	FCLGA2066	Desktop
▼ Intel Core i5-12450H	8	17,093	3,390	45	FCBGA1744	Laptop
▼ Intel Core i7-1260P	12	17,082	3,300	28	FCBGA1744	Laptop
▼ AMD Ryzen Embedded V3C18I	8	17,053	2,836	15	Unknown	Mobile/Embedded
▼ Intel Xeon E5-2689 v4 @ 3.10GHz	10	17,049	2,309	165	FCLGA2011-3	Server
▼ AMD Ryzen 7 PRO 5850U	8	17,045	2,999	15	FP6	Laptop
▼ Intel Xeon E-2278G @ 3.40GHz	8	17,023	2,942	80	FCLGA1151-2	Server
▼ [Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz	8	16,970	1,574	95	FCLGA2011	Server
▼ AMD Ryzen 7 PRO 2700X	8	16,908	2,257	105	AM4	Desktop
▼ AMD Ryzen 7 Extreme Edition	8	16,903	2,457	NA	FP6	Laptop
▼ [Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz	8	16,884	1,639	95	LGA 1356	Server
▼ AMD Ryzen Threadripper 1900X	8	16,800	2,326	180	sTR4	Desktop
▼ [Dual CPU] Intel Xeon E5-2690 @ 2.90GHz	8	16,752	1,675	135	LGA2011	Server
▼ Intel Core Ultra 7 155U	12	16,728	3,541	15	FCBGA2049	Laptop
▼ AMD Ryzen Embedded V2748	8	16,706	2,680	54	FP6	Mobile/Embedded
▼ AMD Ryzen 7 4800U	8	16,696	2,571	15	FP6	Laptop
▼ Intel Xeon Gold 5118 @ 2.30GHz	12	16,627	1,785	105	FCLGA3647	Server
▼ Intel Xeon Gold 6134 @ 3.20GHz	8	16,621	2,225	130	FCLGA3647	Server
▼ Intel Core i7-10700E @ 2.90GHz	8	16,599	2,882	65	FCLGA1200	Laptop, Mobile/Embedded
▼ Intel Xeon E5-2690 v3 @ 2.60GHz	12	16,561	1,932	135	LGA2011-v3	Server
▼ Intel Core i9-9900 @ 3.10GHz	8	16,518	2,835	65	FCLGA1151-2	Desktop
▼ [Quad CPU] Intel Xeon X7560 @ 2.27GHz	8	16,464	1,148	130	LGA1567	Server
▼ Intel Xeon Silver 4214Y @ 2.20GHz	12	16,442	1,822	85	FCLGA3647	Server
▼ Intel Xeon E5-2695 v3 @ 2.30GHz	14	16,437	1,804	120	LGA2011-v3	Server
▼ Intel Core i7-10700 @ 2.90GHz	8	16,434	2,907	65	FCLGA1200	Desktop
▼ Intel Core i7-10700F @ 2.90GHz	8	16,423	2,879	65	FCLGA1200	Desktop
▼ Intel Xeon E-2278GE @ 3.30GHz	8	16,401	2,691	80	FCLGA1151-2	Server
▼ AMD Ryzen 7 1800X	8	16,375	2,198	95	AM4	Desktop
▼ [Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz	12	16,360	1,111	NA	LGA 2011	Server
▼ Intel Xeon E5-2698B v3 @ 2.00GHz	16	16,287	1,666	NA	LGA2011-v3	Server
▼ Intel Core i9-10900TE @ 1.80GHz	10	16,251	2,633	35	FCLGA1200	Mobile/Embedded
▼ AMD Ryzen 7 PRO 5875U	8	16,249	2,885	15	FP6	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks ▼

2.10GHz						
Intel Xeon Silver 4214 @ 2.20GHz	12	16,190	1,769	85	FCLGA3647	Server
Intel Core i3-1220PE	8	16,146	3,474	35	FCBGA1744	Mobile/Embedded
Intel Xeon E5-2669 v3 @ 2.30GHz	12	16,107	1,502	120	LGA2011-v3	Server
Intel Xeon E5-2660 v4 @ 2.00GHz	14	16,081	1,751	105	FCLGA2011-3	Server
AMD Ryzen Embedded V2718	8	16,075	2,240	15	FP6	Mobile/Embedded
[Quad CPU] AMD Opteron 6172	12	16,032	919	115	G34	Server
[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz	10	16,028	1,286	70	FCLGA2011	Server
[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz	8	15,964	1,670	85	FCLGA3647	Server
Intel Xeon W-11865MLE @ 1.50GHz	8	15,958	2,808	25	FCBGA1787	Server, Mobile/Embedded
AMD Ryzen 7 4850U Mobile	8	15,920	2,654	15	FP6	Laptop
[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz	8	15,898	1,972	130	FCLGA2011	Server
Intel Xeon E5-4650 v4 @ 2.20GHz	14	15,871	1,610	105	FCLGA2011-3	Server
AMD Ryzen 7 5700U	8	15,865	2,593	15	FP6	Laptop
[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz	8	15,830	1,699	85	FCLGA2011-3	Server
Intel Core i9-13900TE	24	15,819	2,209	35	FCLGA1700	Mobile/Embedded
Intel Xeon Gold 5117 @ 2.00GHz	14	15,816	1,531	105	Unknown	Server
Intel Core 7 150U	10	15,815	3,642	15	FCBGA1744	Laptop
[Quad CPU] AMD Opteron 6168	12	15,745	845	115	G34	Server
[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz	8	15,713	1,596	115	LGA 2011	Server
AMD Ryzen 7 2700	8	15,705	2,179	65	AM4	Desktop
Intel Xeon W-10885M @ 2.40GHz	8	15,703	2,761	45	FCBGA1440	Laptop, Server
[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz	8	15,690	1,498	115	LGA2011	Server
[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz	8	15,678	1,549	130	LGA2011	Server
AMD Ryzen 7 1700X	8	15,671	2,101	95	AM4	Desktop
Intel Xeon Gold 5215 @ 2.50GHz	10	15,624	1,835	85	FCLGA3647	Server
AMD Ryzen 7 PRO 1700X	8	15,602	2,141	95	AM4	Desktop
Apple M2 8 Core 3500 MHz	8	15,535	3,918	NA	Unknown	Desktop, Laptop
Intel Core i9-10980HK @ 2.40GHz	8	15,461	2,775	45	FCBGA1440	Laptop
Intel Xeon Gold 5217 @ 3.00GHz	8	15,429	2,173	115	FCLGA3647	Server
Intel Xeon E5-4667 v3 @ 2.00GHz	16	15,397	1,461	135	FCLGA2011-3	Server
Intel Xeon E5-4660 v4 @ 2.20GHz	16	15,375	1,805	120	FCLGA2011-3	Server
Intel Core i7-11700T @ 1.40GHz	8	15,341	2,910	35	FCLGA1200	Desktop
AMD Ryzen 7 PRO 2700	8	15,314	2,187	65	AM4	Desktop
Intel Core i5-1345U	10	15,222	3,515	15	FCBGA1744	Laptop
AMD Ryzen 7 PRO 4750U	8	15,209	2,508	15	FP6	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.10GHz						
Intel Xeon E5-2680 v3 @ 2.50GHz	12	15,186	1,807	120	LGA2011-v3	Server
Intel Xeon Silver 4210R @ 2.40GHz	10	15,113	1,795	100	FCLGA3647	Server
Intel Xeon D-2166NT @ 2.00GHz	12	15,105	1,751	85	FCBGA2518	Server
[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz	10	15,084	1,144	105	FCLGA2011-3	Server
Intel Xeon E-2286M @ 2.40GHz	8	15,053	2,728	45	FCBGA1440	Laptop
Intel Core i9-10885H @ 2.40GHz	8	15,044	2,746	45	FCBGA1440	Laptop
Intel Xeon Silver 4215R @ 3.20GHz	8	15,004	2,262	130	FCLGA3647	Server
AMD EPYC 7301	16	14,991	1,363	155	SP3	Server
Intel Core i7-1355U	10	14,968	3,542	15	FCBGA1744	Laptop
AMD EPYC 7251	8	14,935	1,671	120	SP3	Server
Intel Core i7-1365U	10	14,915	3,562	15	FCBGA1744	Laptop
Intel Core i7-10875H @ 2.30GHz	8	14,880	2,728	45	FCBGA1440	Laptop
Intel Xeon E5-2658A v3 @ 2.20GHz	12	14,879	1,688	105	FCLGA2011-3	Server
Intel Core i5-1335U	10	14,862	3,439	15	FCBGA1744	Laptop
Intel Xeon D-1733NT @ 2.00GHz	8	14,849	2,198	53	FCBGA2227	Server
Intel Core i9-10900T @ 1.90GHz	10	14,822	2,469	35	FCLGA1200	Desktop
AMD Ryzen 7 1700	8	14,820	2,001	65	AM4	Desktop
Intel Xeon E5-1681 v3 @ 2.90GHz	10	14,820	2,040	135	LGA2011-v3	Server
Intel Core Ultra 7 164U	12	14,811	3,211	9	FCBGA2551	Laptop
[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz	8	14,794	1,607	55	LGA2011-v3	Server
Intel Xeon E5-2683 v3 @ 2.00GHz	14	14,749	1,673	120	LGA2011-v3	Server
Intel Core i5-1334U	10	14,731	3,524	15	FCBGA1744	Laptop
[Quad CPU] Intel Xeon X7550 @ 2.00GHz	8	14,723	920	130	LGA1567	Server
Intel Xeon E5-2678 v3 @ 2.50GHz	12	14,711	1,760	120	LGA2011-v3	Server
Intel Xeon Gold 5115 @ 2.40GHz	10	14,677	1,857	85	FCLGA3647	Server
Montage Jintide C4215R	8	14,672	2,134	130	LGA3647	Server
Intel Xeon Silver 4116 @ 2.10GHz	12	14,660	1,657	85	FCLGA3647	Server
AMD Ryzen 7 2700E	8	14,657	2,410	45	AM4	Desktop
AMD Ryzen 7 PRO 1700	8	14,657	2,028	65	AM4	Desktop
Intel Core i9-10880H @ 2.30GHz	8	14,642	2,765	45	FCBGA1440	Laptop
[Quad CPU] AMD Opteron 6380	8	14,622	1,334	115	G34	Server
Intel Xeon E5-2687W v3 @ 3.10GHz	10	14,615	1,904	160	LGA2011-v3	Server
Intel Core i3-1220P	10	14,487	3,410	28	FCBGA1744	Laptop
Intel Core i7-6900K @ 3.20GHz	8	14,476	2,336	140	FCLGA2011-3	Desktop
Intel Core i7-10870H @ 2.20GHz	8	14,464	2,672	45	FCBGA1440	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

⌵ [Dual CPU] Intel Xeon E5-2470 @ 2.30GHz	8	14,464	1,410	95	LGA 1356	Server
⌵ Intel Xeon Silver 4215 @ 2.50GHz	8	14,439	2,060	85	FCLGA3647	Server
⌵ Intel Xeon E5-2658 v4 @ 2.30GHz	14	14,434	1,583	105	FCLGA2011-3	Server
⌵ Intel Xeon Silver 4123 @ 3.00GHz	8	14,405	1,967	105	Unknown	Server
⌵ Intel CC150 @ 3.50GHz	8	14,313	2,173	NA	FCLGA1151	Unknown
⌵ Intel Xeon E5-2666 v3 @ 2.90GHz	10	14,313	1,972	135	LGA2011-v3	Server
⌵ Intel Xeon E5-2697 v2 @ 2.70GHz	12	14,296	1,794	130	FCLGA2011	Server
⌵ Intel Core i7-9700KF @ 3.60GHz	8	14,267	2,876	95	FCLGA1151-2	Desktop
⌵ Intel Xeon E5-4660 v3 @ 2.10GHz	14	14,256	1,558	120	FCLGA2011-3	Server
⌵ Intel Xeon E5-2673 v3 @ 2.40GHz	12	14,255	1,740	110	LGA2011-v3	Server
⌵ Intel Xeon D-1732TE @ 1.90GHz	8	14,254	2,015	52	FCBGA2227	Server
⌵ Intel Xeon E5-1680 v4 @ 3.40GHz	8	14,211	2,320	140	FCLGA2011-3	Server
⌵ Intel Core i7-1260U	10	14,197	3,230	9	FCBGA1781	Laptop
⌵ Apple M1 8 Core 3200 MHz	8	14,173	3,695	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
⌵ Intel Core i9-9980HK @ 2.40GHz	8	14,120	2,531	45	FCBGA1440	Laptop
⌵ [Dual CPU] Intel Xeon E5-2665 @ 2.40GHz	8	14,117	1,355	115	LGA2011	Server
⌵ Intel Core i7-1370PRE	14	14,103	1,583	28	FCBGA1744	Mobile/Embedded
⌵ [Dual CPU] Intel Xeon E5-2660 @ 2.20GHz	8	14,103	1,357	95	LGA2011	Server
⌵ Intel Xeon E5-2696 v2 @ 2.50GHz	12	14,101	1,707	120	LGA2011	Server
⌵ [Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz	10	14,022	1,034	70	FCLGA2011	Server
⌵ AMD EPYC 3251	8	13,912	1,881	50	SP4r2	Server
⌵ Intel Xeon E5-2667 v4 @ 3.20GHz	8	13,859	2,191	135	FCLGA2011-3	Server
⌵ [Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz	8	13,818	1,313	95	LGA 1356	Server
⌵ Intel Core i7-1265U	10	13,813	3,201	15	FCBGA1744	Laptop, Mobile/Embedded
⌵ [Quad CPU] AMD Opteron 6278	16	13,733	1,007	115	Unknown	Server
⌵ Intel Core i9-9880H @ 2.30GHz	8	13,728	2,501	45	FCBGA1440	Laptop
⌵ [Dual CPU] Intel Xeon E5-4650 @ 2.70GHz	8	13,713	1,430	130	LGA2011	Server
⌵ Intel Core i7-1255U	10	13,698	3,285	15	FCBGA1744	Laptop
⌵ Intel Xeon E5-2676 v3 @ 2.40GHz	12	13,692	1,641	120	LGA2011-v3	Server
⌵ Intel Xeon E5-2650 v4 @ 2.20GHz	12	13,646	1,706	105	FCLGA2011-3	Server
⌵ Intel Xeon E5-2670 v3 @ 2.30GHz	12	13,591	1,693	120	LGA2011-v3	Server
⌵ Intel Xeon E5-1660 v4 @ 3.20GHz	8	13,570	2,197	140	FCLGA2011-3	Server
⌵ Intel Xeon D-1587 @ 1.70GHz	16	13,566	1,327	65	FCBGA1667	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.00GHz						
Intel Xeon E5-2658 v3 @ 2.20GHz	12	13,487	1,711	105	LGA2011-v3	Server
Intel Xeon E5-2690 v2 @ 3.00GHz	10	13,483	1,882	130	FCLGA2011	Server
Intel Xeon Silver 4210 @ 2.20GHz	10	13,480	1,715	85	FCLGA3647	Server
[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz	8	13,421	1,184	95	LGA 2011	Server
Intel Core i5-1235U	10	13,414	3,223	15	FCBGA1744	Laptop, Mobile/Embedded
Intel Core i5-1245U	10	13,407	3,140	15	FCBGA1744	Laptop, Mobile/Embedded
AMD Ryzen 7 4700U	8	13,386	2,524	15	FP6	Laptop
Intel Core i7-10700TE @ 2.00GHz	8	13,368	2,594	35	FCLGA1200	Laptop
Intel Core i9-9900T @ 2.10GHz	8	13,312	2,457	35	FCLGA1151-2	Desktop
Intel Xeon E5-2695 v2 @ 2.40GHz	12	13,306	1,633	115	LGA 2011	Server
Intel Core i5-1240U	10	13,289	3,058	29	FCBGA1744	Laptop
Intel Xeon D-1581 @ 1.80GHz	16	13,282	1,482	65	FCBGA1667	Server
Intel Core i7-9700F @ 3.00GHz	8	13,251	2,754	65	FCLGA1151-2	Desktop
[Quad CPU] AMD Opteron 6378	8	13,236	1,065	115	G34	Server
[5-Way CPU] AMD Ryzen 9 5950X	16	13,220	2,972	105	AM4	Desktop
Intel Xeon E5-2675 v3 @ 1.80GHz	16	13,180	1,186	NA	LGA2011-v3	Server
Intel Core i7-9700 @ 3.00GHz	8	13,179	2,746	65	FCLGA1151-2	Desktop
Intel Xeon E5-1680 v3 @ 3.20GHz	8	13,149	2,102	140	LGA2011-v3	Server
Intel Xeon Silver 4114 @ 2.20GHz	10	13,139	1,719	85	FCLGA3647	Server
Intel Xeon E5-2660 v3 @ 2.60GHz	10	13,126	1,804	105	LGA2011-v3	Server
Intel Xeon E5-4627 v4 @ 2.60GHz	10	12,969	2,030	135	FCLGA2011-3	Server
Intel Xeon E5-2685 v3 @ 2.60GHz	12	12,944	1,726	120	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz	8	12,861	1,246	95	LGA2011	Server
Intel Core i7-10700T @ 2.00GHz	8	12,847	2,585	35	FCLGA1200	Desktop
[Dual CPU] AMD Opteron 6386 SE	16	12,761	1,297	140	Socket G34	Server
Intel Core i7-5960X @ 3.00GHz	8	12,744	1,987	140	LGA2011-v3	Desktop
Intel Xeon E5-1680 v2 @ 3.00GHz	8	12,667	2,110	130	LGA 2011	Server
Intel Xeon E5-2650L v4 @ 1.70GHz	14	12,646	1,470	65	FCLGA2011-3	Server
Intel Xeon E5-2680 v2 @ 2.80GHz	10	12,626	1,786	115	FCLGA2011	Server
Intel Xeon E5-2667 v3 @ 3.20GHz	8	12,616	2,005	135	LGA2011-v3	Server
[Quad CPU] AMD Opteron 6174	12	12,607	939	115	Socket G34	Server
Intel Core i7-9700E @ 2.60GHz	8	12,600	2,559	65	FCLGA1151-2	Desktop
Virtual @ 3.80GHz	12	12,575	3,738	NA	Unknown	Unknown
Intel Xeon E5-1660 v3 @ 3.00GHz	8	12,464	1,976	140	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

2.20GHz						
Intel Xeon E5-4628L v4 @ 1.80GHz	14	12,461	1,327	75	FCLGA2011	Mobile/Embedded
Intel Xeon E5-2618L v4 @ 2.20GHz	10	12,429	1,975	75	FCLGA2011-3	Server
Intel Xeon E5-2640 v4 @ 2.40GHz	10	12,402	1,930	90	FCLGA2011-3	Server
Intel Xeon E5-2649 v3 @ 2.30GHz	10	12,399	1,674	105	LGA2011-v3	Server
[Dual CPU] AMD Opteron 6380	8	12,377	1,133	115	G34	Server
[Dual CPU] AMD Opteron 6378	8	12,352	1,018	115	G34	Server
Hygon C86 3350 8-core	8	12,292	1,741	NA	Unknown	Unknown
Intel Atom P5342	16	12,291	1,187	71	FCBGA2106	Server
[Dual CPU] AMD Opteron 6376	8	12,278	1,131	115	Socket G34	Server
Intel Xeon E5-2667 v2 @ 3.30GHz	8	12,266	2,017	130	LGA 2011	Server
Intel Xeon E5-2687W v2 @ 3.40GHz	8	12,258	2,041	150	FCLGA2011	Server
Intel Xeon E5-2673 v2 @ 3.30GHz	8	12,128	1,947	110	LGA 2011	Server
Intel Xeon E5-2692 v2 @ 2.20GHz	12	12,119	1,571	115	LGA 2011	Server
Intel Core Ultra 5 134U	12	12,117	2,990	30	FCBGA2551	Laptop, Mobile/Embedded
Intel Xeon D-2141I @ 2.20GHz	8	12,117	1,713	65	FCBGA2518	Server
[Quad CPU] AMD Opteron 6282 SE	16	12,083	894	140	Unknown	Server
Intel Xeon E-2278GEL @ 2.00GHz	8	12,024	2,428	35	FCLGA1151-2	Server
[Dual CPU] Intel Xeon E7- 4870 @ 2.40GHz	10	11,939	1,054	130	LGA1567	Server
Intel Core i5-1335UE	10	11,921	3,373	28	FCBGA1744	Mobile/Embedded
Intel Xeon E5-2650L v3 @ 1.80GHz	12	11,880	1,399	65	LGA2011-v3	Server
Intel Core i7-1250U	10	11,876	2,791	9	FCBGA1781	Laptop
Snapdragon 8cx Gen 3 @ 3.0 GHz	8	11,853	2,439	NA	Unknown	Laptop, Mobile/Embedded
Intel Xeon E5-2650 v3 @ 2.30GHz	10	11,848	1,642	105	LGA2011-v3	Server
ARM Neoverse-N1 32 Core 1700 MHz	32	11,841	755	NA	Unknown	Server
Intel Xeon E5-2663 v3 @ 2.80GHz	10	11,777	2,040	120	LGA2011-v3	Server
ARM Neoverse-N1 80 Core 2800 MHz	80	11,755	434	NA	Unknown	Server
Intel Xeon D-2146NT @ 2.30GHz	8	11,736	1,802	80	FCBGA2518	Server
[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz	8	11,711	1,040	70	LGA 1356	Server
Microsoft SQ3 @ 3.0 GHz	8	11,684	2,365	NA	Unknown	Laptop
Intel Xeon D-1577 @ 1.30GHz	16	11,645	1,319	45	FCBGA1667	Server
Intel Xeon E5-2630 v4 @ 2.20GHz	10	11,628	1,744	85	FCLGA2011-3	Server
Intel Xeon E5-4657L v2 @ 2.40GHz	12	11,613	1,483	115	FCLGA2011	Server
Intel Xeon E5-2648L v4 @ 1.80GHz	14	11,547	1,435	75	FCLGA2011-3	Server
QTI SM8650	8	11,541	2,982	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

CPU Benchmarks ▼

2.20GHz						
Hygon C86 3250 8-core	8	11,476	1,741	NA	Unknown	Desktop
[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz	8	11,474	974	95	LGA 2011	Server
[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz	8	11,364	1,050	70	LGA 2011	Server
Intel Xeon E5-4627 v3 @ 2.60GHz	10	11,344	1,749	135	FCLGA2011-3	Server
Intel Xeon E5-2670 v2 @ 2.50GHz	10	11,328	1,623	115	FCLGA2011	Server
Intel Xeon Silver 4208 @ 2.10GHz	8	11,268	1,773	85	FCLGA3647	Server
Intel Xeon E5-2640 v3 @ 2.60GHz	8	11,125	1,874	90	LGA2011-v3	Server
Intel Core i5-1230U	10	11,101	2,755	9	FCBGA1781	Laptop
Intel Xeon Silver 4209T @ 2.20GHz	8	11,080	1,693	70	FCLGA3647	Server
Intel Xeon E5-2628L v4 @ 1.90GHz	12	11,079	1,433	75	FCLGA2011-3	Server
Intel Xeon E5-4650 v2 @ 2.40GHz	10	11,064	1,501	95	FCLGA2011	Server
Apple A12X Bionic	8	11,016	2,647	NA	Unknown	Mobile/Embedded
[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz	8	10,978	1,260	95	LGA 1356	Server
Intel Xeon E5-2618L v3 @ 2.30GHz	8	10,881	1,905	75	LGA2011-v3	Server
Intel Xeon E5-4650 v3 @ 2.10GHz	12	10,838	1,384	105	FCLGA2011-3	Server
[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz	8	10,797	1,154	85	FCLGA3647	Server
Intel Core i7-9700T @ 2.00GHz	8	10,782	2,435	35	FCLGA1151-2	Desktop
[Quad CPU] AMD Opteron 6276	8	10,763	969	115	Socket G34	Server
Samsung s5e9945	10	10,756	2,830	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2470 v2 @ 2.40GHz	10	10,629	1,597	95	LGA 1356	Server
[Dual CPU] AMD Opteron 6284 SE	16	10,619	857	140	Socket G34	Server
Intel Xeon E5-2630L v4 @ 1.80GHz	10	10,604	1,685	55	FCLGA2011-3	Server
Mediatek MT6989	8	10,593	2,347	NA	Unknown	Mobile/Embedded
Intel Xeon E5-4620 v3 @ 2.00GHz	10	10,525	1,486	105	FCLGA2011-3	Server
Intel Xeon E5-2658 v2 @ 2.40GHz	10	10,523	1,469	95	LGA 2011	Server
Intel Xeon E5-2660 v2 @ 2.20GHz	10	10,494	1,506	95	LGA 2011	Server
Intel Xeon D-1567 @ 2.10GHz	12	10,447	1,156	65	FCBGA1667	Server
Intel Xeon E5-2630 v3 @ 2.40GHz	8	10,413	1,763	85	LGA2011-v3	Server
Intel Xeon E5-4640 v3 @ 1.90GHz	12	10,372	1,514	105	FCLGA2011-3	Server
QTI QCS8550	8	10,369	3,332	NA	Unknown	Mobile/Embedded
Intel Xeon Silver 4109T @ 2.00GHz	8	10,348	1,445	70	FCLGA3647	Server
[Dual CPU] AMD Opteron 6274	8	10,313	974	115	G34	Server
Intel Core i7-9700TE @ 1.80GHz	8	10,280	2,201	35	FCLGA1151-2	Desktop, Laptop
Intel Core i7-1365URE	10	10,278	3,078	15	FCBGA1744	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

HE						
Intel Xeon Silver 4110 @ 2.10GHz	8	10,215	1,595	85	FCLGA3647	Server
Intel Xeon D-1541 @ 2.10GHz	8	10,120	1,707	45	FCBGA1667	Server
Snapdragon 8cx Gen 3 @ 2.69 GHz	8	10,110	2,188	NA	Unknown	Mobile/Embedded
Intel Core i3-N305	8	10,080	2,229	15	FCBGA1264	Laptop, Mobile/Embedded
Intel Xeon D-1540 @ 2.00GHz	8	10,061	1,612	45	FCBGA1667	Server
[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz	8	10,057	1,069	85	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz	8	10,053	1,096	95	LGA2011	Server
Intel Xeon E5-2687W @ 3.10GHz	8	9,986	1,670	150	LGA2011	Server
Intel Xeon E5-2628L v3 @ 2.00GHz	10	9,949	1,483	75	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz	8	9,940	899	70	LGA 2011	Server
Intel Xeon E5-2650 v2 @ 2.60GHz	8	9,870	1,689	95	FCLGA2011	Server
Intel Xeon E5-2648L v3 @ 1.80GHz	12	9,847	1,292	75	LGA2011-v3	Server
Intel Xeon E5-2690 @ 2.90GHz	8	9,738	1,660	135	LGA2011	Server
[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz	8	9,706	1,006	85	FCLGA3647	Server
Intel Xeon E5-2689 @ 2.60GHz	8	9,684	1,577	115	LGA 2011	Server
Intel Xeon E5-4620 v2 @ 2.60GHz	8	9,590	1,569	95	FCLGA2011	Server
[Dual CPU] Intel Xeon E7- 4850 @ 2.00GHz	10	9,571	703	130	LGA1567	Server
Intel Xeon E5-2651 v2 @ 1.80GHz	12	9,544	1,136	NA	LGA 2011	Server
ARM HUAWEI,Kunpeng 920 24 Core 2600 MHz	24	9,496	733	NA	Unknown	Mobile/Embedded
Intel Core i7-1265UE	10	9,471	2,582	28	FCBGA1744	Laptop, Mobile/Embedded
Intel Xeon E5-2680 @ 2.70GHz	8	9,404	1,554	130	LGA2011	Server
Apple A12Z Bionic	8	9,365	2,202	NA	Unknown	Mobile/Embedded
Snapdragon 8 Gen2 Mobile Platform for Galaxy	8	9,362	3,093	NA	Unknown	Mobile/Embedded
Intel Xeon E5-4627 v2 @ 3.30GHz	8	9,320	1,786	130	FCLGA2011	Server
Intel Xeon D-1557 @ 1.50GHz	12	9,285	1,090	45	FCBGA1667	Server
Intel Core i5-1245UE	10	9,283	2,476	15	FCBGA1744	Mobile/Embedded
Hygon C86 3185 8-core	8	9,243	1,881	95	Unknown	Desktop
[Dual CPU] AMD Opteron 6272	8	9,239	966	115	G34	Server
Intel Xeon E5-2620 v4 @ 2.10GHz	8	9,198	1,634	85	FCLGA2011-3	Server
[Dual CPU] AMD Opteron 6276	8	9,168	916	115	Socket G34	Server
Intel Xeon E5-2629 v3 @ 2.40GHz	8	9,139	1,426	85	LGA2011-v3	Server
Mediatek MT6983W/CZA	8	9,136	3,238	NA	Unknown	Mobile/Embedded
QTI SM8550	8	9,129	2,906	NA	Unknown	Mobile/Embedded
Mediatek MT8798Z/CNZA	8	9,110	3,111	NA	Unknown	Mobile/Embedded
Intel Xeon D-1548 @ 2.00GHz	8	9,075	1,647	45	FCBGA1667	Server
Intel Xeon E5-4648 v3 @ 1.70GHz	12	9,061	1,317	105	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Intel Xeon E5-2450 v2 @ 2.50GHz	8	9,041	1,609	95	LGA 1356	Server
Intel Xeon E5-2670 @ 2.60GHz	8	8,952	1,468	115	LGA2011	Server
Intel Xeon Silver 4108 @ 1.80GHz	8	8,882	1,488	85	FCLGA3647	Server
Intel Xeon E5-2648L v2 @ 1.90GHz	10	8,828	1,194	70	FCLGA2011	Server
Intel Atom x7835RE	8	8,710	2,188	12	FCBGA1264	Mobile/Embedded
Intel Xeon E5-2630L v3 @ 1.80GHz	8	8,701	1,543	55	LGA2011-v3	Server
ARM - 32 Core 3300 MHz	32	8,684	585	NA	Unknown	Mobile/Embedded
ARM X-Gene 32 Core 3300 MHz	32	8,684	583	NA	Unknown	Mobile/Embedded
AMD EPYC 3201	8	8,672	1,564	30	SP4r2	Server
Intel Atom C5125	8	8,631	1,486	50	FCBGA2106	Server
Intel Xeon E5-4650 @ 2.70GHz	8	8,630	1,476	130	LGA2011	Server
ARM - 8 Core 2424 MHz	8	8,610	3,083	NA	Unknown	Mobile/Embedded
Intel Xeon E5-4650L @ 2.60GHz	8	8,533	1,409	115	LGA 2011	Server
Intel Core i3-N300	8	8,528	2,023	7	FCBGA1264	Laptop
Intel Xeon E5-2628 v3 @ 2.50GHz	8	8,447	1,754	85	LGA2011-v3	Server
Intel Xeon E5-2665 @ 2.40GHz	8	8,298	1,400	115	LGA2011	Server
Intel Xeon E5-2470 @ 2.30GHz	8	8,295	1,426	95	LGA 1356	Server
AMD Opteron 6386 SE	16	8,291	1,305	140	Socket G34	Server
QTI SM8635	8	8,261	2,103	NA	Unknown	Mobile/Embedded
ARM X-Gene 32 Core 3000 MHz	32	8,202	608	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2660 @ 2.20GHz	8	8,139	1,398	95	LGA2011	Server
ARM - 32 Core 2911 MHz	32	8,132	541	NA	Unknown	Mobile/Embedded
Google Tensor G3	9	8,123	2,425	NA	Unknown	Mobile/Embedded
CentaurHauls @2500MHz	8	8,055	1,384	NA	Unknown	Desktop
[Dual CPU] Intel Xeon X7560 @ 2.27GHz	8	8,028	892	130	LGA1567	Server
Intel Xeon D-1559 @ 1.50GHz	12	8,015	1,033	45	FCBGA1667	Server
Mediatek Dimensity 9200 (MT6985)	8	7,971	2,386	NA	Unknown	Mobile/Embedded
[Dual CPU] AMD Opteron 6136	8	7,964	1,059	115	Socket G34	Server
[Dual CPU] Intel Xeon X7550 @ 2.00GHz	8	7,873	1,067	130	LGA1567	Server
[Dual CPU] AMD Opteron 6176 SE	12	7,818	963	140	G34	Server
Mediatek MT6983Z/CZA	8	7,726	2,255	NA	Unknown	Mobile/Embedded
Mediatek MT6895Z_A/TCZA	8	7,686	2,308	NA	Unknown	Mobile/Embedded
Mediatek Dimensity 8200-Ultimate (MT6896)	8	7,680	2,373	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2440 v2 @ 1.90GHz	8	7,655	1,139	95	LGA 1356	Server
Intel Xeon E5-2640 v2 @ 2.00GHz	8	7,629	1,269	95	LGA 2011	Server
MediaTek MT6895	8	7,615	2,281	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2650L v2 @ 1.70GHz	10	7,586	979	70	FCLGA2011	Server
Intel Xeon E5-2450 @ 2.10GHz	8	7,534	1,180	95	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

1.60GHz						
Intel Xeon D-1537 @ 1.70GHz	8	7,444	1,225	35	FCBGA1667	Server
Intel Xeon E5-2650 @ 2.00GHz	8	7,396	1,229	95	LGA2011	Server
Intel Atom P5322	8	7,378	1,198	55	FCBGA2106	Server
[3-Way CPU] ARM ARMv8 rev 1 (v8l) 12 Core 2201 MHz	12	7,371	1,183	NA	Unknown	Mobile/Embedded
Mediatek MT6897	8	7,346	2,030	NA	Unknown	Mobile/Embedded
Google GS201	8	7,333	2,269	NA	Unknown	Mobile/Embedded
QTI SM8475	8	7,311	2,420	NA	Unknown	Mobile/Embedded
Intel Xeon Phi 7210 @ 1.30GHz	64	7,306	460	215	SVLCLGA3647	Server
QTI SM7475	8	7,298	1,999	NA	Unknown	Mobile/Embedded
AMD Opteron 6281	8	7,279	1,129	NA	Socket G34	Server
Intel Xeon E5-4610 v3 @ 1.70GHz	10	7,229	1,027	105	FCLGA2011-3	Server
Mediatek MT8797Z/CNZA	8	7,223	2,281	NA	Unknown	Mobile/Embedded
Virtual @ 3.41GHz	10	7,207	2,444	NA	Unknown	Unknown
Intel Xeon E5-2628L v2 @ 1.90GHz	8	7,181	1,106	70	LGA 2011	Server
Intel Xeon D-1539 @ 1.60GHz	8	7,175	1,179	35	FCBGA1667	Server
vendor Kirin9000E	8	7,141	2,687	NA	Unknown	Mobile/Embedded
Mediatek MT6895Z_B/TCZA	8	7,135	2,210	NA	Unknown	Mobile/Embedded
[Dual CPU] AMD Opteron 6282 SE	16	7,130	517	140	Unknown	Server
Mediatek MT6878	8	7,083	2,272	NA	Unknown	Mobile/Embedded
Intel Xeon E5-4620 @ 2.20GHz	8	7,037	1,207	95	LGA 2011	Server
Intel Xeon E5-4640 @ 2.40GHz	8	7,012	1,233	95	LGA2011	Server
Samsung s5e8845	8	6,963	2,298	NA	Unknown	Mobile/Embedded
AMD Opteron 6287 SE	16	6,925	1,091	NA	G34	Server
vendor Kirin9000	8	6,914	2,592	NA	Unknown	Mobile/Embedded
ARM Firestorm 8 Core 2064 MHz	8	6,775	2,804	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2448L v2 @ 1.80GHz	10	6,774	1,235	70	LGA 1356	Server
Snapdragon 8cx Gen 2 @ 3.0 GHz	8	6,770	1,759	NA	Unknown	Laptop, Mobile/Embedded
Google Tensor	8	6,752	2,298	NA	Unknown	Mobile/Embedded
Qualcomm SM8250	8	6,745	2,445	NA	Unknown	Mobile/Embedded
Mediatek MT6895Z/TCZA	8	6,725	2,276	NA	Unknown	Mobile/Embedded
QTI SG8175P	8	6,713	2,140	NA	Unknown	Mobile/Embedded
Mediatek MT6893Z_T/CZA	8	6,688	2,548	NA	Unknown	Mobile/Embedded
AMD Opteron 6380	8	6,687	1,092	115	G34	Server
HiSilicon Kirin	8	6,669	2,246	NA	Unknown	Mobile/Embedded
Snapdragon 8cx Gen 2 @ 3.15 GHz	8	6,657	1,953	7	Unknown	Laptop, Mobile/Embedded
Mediatek MT8789	8	6,640	2,296	NA	Unknown	Mobile/Embedded
MediaTek MT6983	8	6,631	2,264	NA	Unknown	Mobile/Embedded
Samsung s5e9925	8	6,596	2,163	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8350AC	8	6,588	2,758	NA	Unknown	Mobile/Embedded
QTI SM7550	8	6,581	2,232	NA	Unknown	Mobile/Embedded
QTI SM8250	8	6,580	2,265	NA	Unknown	Mobile/Embedded
Mediatek MT6891Z/CZA	8	6,572	2,167	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

SA8195P						
MT8797Z/CNZA	8	6,550	1,799	NA	Unknown	Mobile/Embedded
CentaurHauls @2000MHz	8	6,549	1,118	NA	Unknown	Desktop
QTI SM8350	8	6,547	2,306	NA	Unknown	Mobile/Embedded
Mediatek MT6891Z_Z/CZA	8	6,509	1,668	NA	Unknown	Mobile/Embedded
Qualcomm SM8350	8	6,505	2,165	NA	Unknown	Mobile/Embedded
MT6893Z_Z/CZA	8	6,485	2,046	NA	Unknown	Mobile/Embedded
MT6893Z/CZA	8	6,467	2,158	NA	Unknown	Mobile/Embedded
Odin based on Qualcomm Technologies, Inc SM8350	8	6,456	1,751	NA	Unknown	Mobile/Embedded
redwood based Qualcomm Technologies, Inc. SM7325	8	6,448	2,150	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM7325	8	6,431	2,170	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8250_AC	8	6,416	2,621	NA	Unknown	Mobile/Embedded
Mediatek MT6889	8	6,415	1,898	NA	Unknown	Mobile/Embedded
Mediatek MT6883Z/CZA	8	6,413	1,761	NA	Unknown	Mobile/Embedded
Microsoft SQ2 @ 3.15 GHz	8	6,395	1,912	NA	Unknown	Laptop
QTI SM8450	8	6,394	2,433	NA	Unknown	Mobile/Embedded
AMD Opteron 6282 SE	16	6,385	953	140	Unknown	Server
Mediatek MT6893	8	6,376	2,094	NA	Unknown	Mobile/Embedded
MT6893Z_B/CZA	8	6,371	1,901	NA	Unknown	Mobile/Embedded
taoyao based Qualcomm Technologies, Inc. Yupik IDP	8	6,359	1,818	NA	Unknown	Mobile/Embedded
AMD Opteron 6276	8	6,348	1,033	115	Socket G34	Server
[Dual CPU] AMD Opteron 6128 HE	8	6,339	883	85	Socket G34	Server
Qualcomm Technologies, Inc KONA-IOT	8	6,282	2,510	NA	Unknown	Mobile/Embedded
SM7325	8	6,230	2,141	NA	Unknown	Mobile/Embedded
Samsung Exynos 990	8	6,197	1,826	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2650L @ 1.80GHz	8	6,192	1,083	70	LGA 2011	Server
[Dual CPU] AMD Opteron 6128	8	6,141	862	115	G34	Server
MT6893Z_C/CZA	8	6,139	1,767	NA	Unknown	Mobile/Embedded
SM8350	8	6,132	2,445	NA	Unknown	Mobile/Embedded
vendor Kirin990	8	6,132	2,011	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8350	8	6,117	2,163	NA	Unknown	Mobile/Embedded
Qualcomm SM7325	8	6,078	2,031	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2658 @ 2.10GHz	8	6,073	1,156	95	LGA2011	Server
Qualcomm QCM6490	8	6,068	1,921	NA	Unknown	Mobile/Embedded
[Dual CPU] AMD Opteron 6134	8	6,053	898	115	G34	Server
Spreadtrum T820	8	6,044	1,858	NA	Unknown	Mobile/Embedded
MT6893Z_A/CZA	8	6,043	2,339	NA	Unknown	Mobile/Embedded
Snapdragon 7cPlus Gen 3 @ 2.40 GHz	8	6,028	1,719	NA	Unknown	Mobile/Embedded
MT6891Z/CZA	8	6,025	1,668	NA	Unknown	Mobile/Embedded
Samsung s5e8835	8	6,024	2,023	NA	Unknown	Mobile/Embedded
QTI SM7325	8	5,932	1,965	NA	Unknown	Mobile/Embedded
AMD Opteron 6378	8	5,889	1,127	115	G34	Server
Intel Xeon E5-2450L @ 1.80GHz	8	5,880	1,002	70	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

SM8250						
MT6891	8	5,817	1,764	NA	Unknown	Mobile/Embedded
QTI SM7435	8	5,758	1,531	NA	Unknown	Mobile/Embedded
Intel Xeon Bronze 3106 @ 1.70GHz	8	5,753	1,002	85	FCLGA3647	Server
MT8195AV/ZA	8	5,735	1,840	NA	Unknown	Mobile/Embedded
Qualcomm SM8150	8	5,712	1,833	NA	Unknown	Mobile/Embedded
Microsoft SQ1 @ 3.0 GHz	8	5,704	1,831	15	Unknown	Laptop
MT6893Z_D/CZA	8	5,701	2,262	NA	Unknown	Mobile/Embedded
MT6883Z/CZA	8	5,665	1,694	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc KONA	8	5,659	2,336	NA	Unknown	Mobile/Embedded
AMD Opteron 6274	8	5,643	871	115	G34	Server
SM8325	8	5,629	1,945	NA	Unknown	Mobile/Embedded
AMD Opteron 6366 HE	8	5,613	1,003	85	Unknown	Server
AMD Opteron 6376	8	5,572	1,165	115	Socket G34	Server
Snapdragon 7325	8	5,561	2,026	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM778G	8	5,553	2,070	NA	Unknown	Mobile/Embedded
QTI SM6450	8	5,552	1,902	NA	Unknown	Mobile/Embedded
QTI SM7450	8	5,547	1,874	NA	Unknown	Mobile/Embedded
Snapdragon 855 @ 2.84 GHz	8	5,547	1,556	NA	Unknown	Mobile/Embedded
ARM Phytium D3000 8 Core 2500 MHz	8	5,528	1,247	NA	Unknown	Unknown
QTI SM7350	8	5,499	1,877	NA	Unknown	Mobile/Embedded
vendor Kirin985	8	5,481	1,852	NA	Unknown	Mobile/Embedded
ARM Cortex-A72 16 Core 2200 MHz	16	5,470	601	NA	Unknown	Mobile/Embedded
Samsung Exynos 2100	8	5,467	2,012	NA	Unknown	Mobile/Embedded
lisa based Qualcomm Technologies, Inc. SM7325	8	5,456	1,882	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2609 v4 @ 1.70GHz	8	5,443	1,020	85	FCLGA2011-3	Server
Mediatek MT6891	8	5,412	1,369	NA	Unknown	Mobile/Embedded
Venus based on Qualcomm Technologies, Inc SM8350	8	5,398	2,158	NA	Unknown	Mobile/Embedded
QTI SM8150	8	5,372	1,841	NA	Unknown	Mobile/Embedded
Haydn based on Qualcomm Technologies, Inc SM8350	8	5,359	1,892	NA	Unknown	Mobile/Embedded
Vili based on Qualcomm Technologies, Inc SM8350	8	5,296	1,592	NA	Unknown	Mobile/Embedded
Snapdragon 860 @ 2.96 GHz	8	5,291	1,545	NA	Unknown	Mobile/Embedded
vendor Kirin980	8	5,277	1,726	NA	Unknown	Mobile/Embedded
Intel Xeon E5-2648L @ 1.80GHz	8	5,262	981	70	LGA 2011	Server
Mediatek MT6879V_T/ZA	8	5,261	2,188	NA	Unknown	Mobile/Embedded
MT6877V/TTZA	8	5,253	2,152	NA	Unknown	Mobile/Embedded
Mediatek MT6875	8	5,249	1,254	NA	Unknown	Mobile/Embedded
Star based on Qualcomm Technologies, Inc SM8350	8	5,241	1,962	NA	Unknown	Mobile/Embedded
AMD Opteron 6272	8	5,240	753	115	G34	Server
Mars based on Qualcomm Technologies, Inc SM8350	8	5,230	1,984	NA	Unknown	Mobile/Embedded
Snapdragon 8c @ 2.46 GHz	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

MT8188JV/A	8	5,104	1,878	NA	Unknown	Mobile/Embedded
MT6893	8	5,102	1,902	NA	Unknown	Mobile/Embedded
Hisilicon Kirin9000	8	5,083	2,490	NA	Unknown	Mobile/Embedded
vendor Kirin820	8	5,067	1,693	NA	Unknown	Mobile/Embedded
Mediatek MT6877	8	5,009	2,022	NA	Unknown	Mobile/Embedded
Snapdragon 8cx @ 2.84 GHz	8	4,999	1,720	NA	Unknown	Laptop, Mobile/Embedded
Mediatek MT6877V/TTZA	8	4,973	2,006	NA	Unknown	Mobile/Embedded
Mediatek MT8791V/TN	8	4,944	2,228	NA	Unknown	Mobile/Embedded
Mediatek Dimensity 7200-Pro (MT6886)	8	4,898	2,081	NA	Unknown	Mobile/Embedded
SM8450	8	4,896	1,278	NA	Unknown	Mobile/Embedded
MT6877V/TZA	8	4,871	1,871	NA	Unknown	Mobile/Embedded
Renoir based on Qualcomm Technologies, Inc SM7350	8	4,869	1,815	NA	Unknown	Mobile/Embedded
Samsung Technologies, Inc Exynos E1080	8	4,846	2,029	NA	Unknown	Mobile/Embedded
Mediatek MT6877V/TZA	8	4,832	1,788	NA	Unknown	Mobile/Embedded
MT6877V/ZA	8	4,787	1,954	NA	Unknown	Mobile/Embedded
Mediatek MT6877V/ZA	8	4,748	1,843	NA	Unknown	Mobile/Embedded
MT8771V/PZA	8	4,723	1,700	NA	Unknown	Mobile/Embedded
Intel Atom C3858 @ 2.00GHz	12	4,707	652	25	FCBGA1310	Server
Samsung Exynos 980	8	4,637	1,833	NA	Unknown	Mobile/Embedded
Intel Atom C3758 @ 2.20GHz	8	4,614	867	25	FCBGA1310	Server
Snapdragon 8350	8	4,608	2,484	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8150	8	4,591	1,773	NA	Unknown	Mobile/Embedded
Qualcomm SC7180P	8	4,558	1,852	NA	Unknown	Mobile/Embedded
Mediatek Dimensity 7025 (MT6855)	8	4,550	1,870	NA	Unknown	Mobile/Embedded
MT6877T	8	4,548	1,641	NA	Unknown	Mobile/Embedded
Mediatek MT8390AV/A	8	4,509	1,979	NA	Unknown	Mobile/Embedded
Samsung s5e8535	8	4,509	1,977	NA	Unknown	Mobile/Embedded
MT6889Z/CZA	8	4,504	1,798	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8150P	8	4,495	1,914	NA	Unknown	Mobile/Embedded
Samsung s5e8825	8	4,479	1,921	NA	Unknown	Mobile/Embedded
Mediatek DM700	8	4,471	1,566	NA	Unknown	Mobile/Embedded
SM6375	8	4,441	1,956	NA	Unknown	Mobile/Embedded
Mediatek MT6833GP	8	4,440	1,655	NA	Unknown	Mobile/Embedded
Spreadtrum T760	8	4,440	1,530	NA	Unknown	Mobile/Embedded
Mediatek MT6833G	8	4,430	1,119	NA	Unknown	Mobile/Embedded
Rockchip RK3588	8	4,424	1,447	NA	Unknown	Mobile/Embedded
Mediatek MT8771V/PZA	8	4,414	1,425	NA	Unknown	Mobile/Embedded
MT6875	8	4,393	1,187	NA	Unknown	Mobile/Embedded
Mediatek MT8781V/NA	8	4,380	1,551	NA	Unknown	Mobile/Embedded
Hisilicon Kirin980	8	4,373	1,741	NA	Unknown	Mobile/Embedded
Qualcomm SDM845	8	4,361	1,455	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM750G	8	4,350	1,869	NA	Unknown	Mobile/Embedded
Mediatek MT6879V/ZA	8	4,334	1,849	NA	Unknown	Mobile/Embedded
QTI SM7225	8	4,308	1,814	NA	Unknown	Mobile/Embedded
Mediatek MT6833V/ZA	8	4,305	1,463	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Mediatek MT8789V/T	8	4,293	1,475	NA	Unknown	Mobile/Embedded
Intel Atom C3958 @ 2.00GHz	16	4,281	514	31	FCBGA1310	Server
Mediatek MT6789V/CD	8	4,271	1,505	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM6375	8	4,266	1,889	NA	Unknown	Mobile/Embedded
天玑900	8	4,259	1,567	NA	Unknown	Mobile/Embedded
MediaTek G99 Ultimate (MT6789)	8	4,217	1,526	NA	Unknown	Mobile/Embedded
Qualcomm SM7150	8	4,212	1,598	NA	Unknown	Mobile/Embedded
vendor Kirin810	8	4,207	1,563	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM8150_Plus	8	4,201	1,535	NA	Unknown	Mobile/Embedded
MT6833V/PNZA	8	4,164	1,522	NA	Unknown	Mobile/Embedded
Hisilicon Kirin985	8	4,162	1,823	NA	Unknown	Mobile/Embedded
QTI SM6375	8	4,159	1,859	NA	Unknown	Mobile/Embedded
MT6833P	8	4,158	1,377	NA	Unknown	Mobile/Embedded
Mediatek MT6781V/CDZAMB-H	8	4,155	1,461	NA	Unknown	Mobile/Embedded
QTI SM6350	8	4,152	1,694	NA	Unknown	Mobile/Embedded
Mediatek MT8781V/CA	8	4,141	1,523	NA	Unknown	Mobile/Embedded
AMD Opteron 3380	8	4,134	1,107	65	Unknown	Server
MT8789V/CT	8	4,119	1,441	NA	Unknown	Mobile/Embedded
MT6833V/ZA	8	4,104	1,462	NA	Unknown	Mobile/Embedded
MT8789V/T	8	4,104	1,466	NA	Unknown	Mobile/Embedded
Mediatek MT6853V/TNZA	8	4,095	1,501	NA	Unknown	Mobile/Embedded
MediaTek MT6873	8	4,087	1,322	NA	Unknown	Mobile/Embedded
ARM - 8 Core 1766 MHz	8	4,080	1,205	NA	Unknown	Mobile/Embedded
Mediatek MT6853V/NZA	8	4,049	1,219	NA	Unknown	Mobile/Embedded
Mediatek MT6833V/PNZA	8	4,037	1,464	NA	Unknown	Mobile/Embedded
Mediatek MT6833	8	4,017	1,383	NA	Unknown	Mobile/Embedded
MT6781V/CD	8	3,969	1,477	NA	Unknown	Mobile/Embedded
Hisilicon Kirin 990	8	3,965	1,658	NA	Unknown	Mobile/Embedded
Mediatek MT8789V/CT	8	3,946	1,477	NA	Unknown	Mobile/Embedded
MT8186	8	3,941	1,492	NA	Unknown	Mobile/Embedded
Samsung Exynos 9820	8	3,926	1,659	NA	Unknown	Mobile/Embedded
QTI SM4375	8	3,915	1,769	NA	Unknown	Mobile/Embedded
ARM Kunpeng-920 8 Core 2600 MHz	8	3,910	735	NA	Unknown	Mobile/Embedded
Hisilicon Kirin820	8	3,893	1,402	NA	Unknown	Mobile/Embedded
QTI SM7125	8	3,887	1,566	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc	8	3,887	1,468	NA	Unknown	Mobile/Embedded
MT6781	8	3,875	1,356	NA	Unknown	Mobile/Embedded
Qualcomm SM7250	8	3,872	1,570	NA	Unknown	Mobile/Embedded
AMD A9-9820	8	3,870	797	NA	Unknown	Desktop
QTI SM4450	8	3,864	1,636	NA	Unknown	Mobile/Embedded
Snapdragon 7c Gen 2 @ 2.55 GHz	8	3,844	1,482	7	Unknown	Laptop, Mobile/Embedded
Samsung Exynos 9825	8	3,830	1,606	NA	Unknown	Mobile/Embedded
Qualcomm SM6225	8	3,801	1,202	NA	Unknown	Mobile/Embedded
Mediatek MT6781V/CD	8	3,787	1,497	NA	Unknown	Mobile/Embedded
MT6833	8	3,784	1,390	NA	Unknown	Mobile/Embedded
Mediatek MT6781	8	3,779	1,279	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

QTI SM7150	8	3,774	1,441	NA	Unknown	Mobile/Embedded
ARM Cortex-A57 8 Core 1766 MHz	8	3,766	1,153	NA	Unknown	Mobile/Embedded
Mediatek MT6785	8	3,761	1,378	NA	Unknown	Mobile/Embedded
Samsung Exynos 9810	8	3,756	1,302	NA	Unknown	Mobile/Embedded
QTI SM4350	8	3,728	1,469	NA	Unknown	Mobile/Embedded
AMD Opteron 3280	8	3,723	1,036	65	AM3+	Server
Qualcomm SM6150	8	3,722	1,298	NA	Unknown	Mobile/Embedded
Qualcomm SM7125	8	3,719	1,525	NA	Unknown	Mobile/Embedded
Snapdragon 7c @ 1.96 GHz	8	3,712	1,519	NA	Unknown	Laptop, Mobile/Embedded
AMD Opteron 6174	12	3,697	488	115	Socket G34	Server
ZHAOXIN KaiXian KX-U6780@2.7GHz	8	3,693	851	NA	Unknown	Unknown
MediaTek MT6785V/CD	8	3,645	1,309	NA	Unknown	Mobile/Embedded
ZHAOXIN KaiXian KX-U6780A@2.7GHz	8	3,643	776	NA	Unknown	Unknown
MT6833V/NZA	8	3,641	1,419	NA	Unknown	Mobile/Embedded
Mediatek MT6833P	8	3,640	1,236	NA	Unknown	Mobile/Embedded
MediaTek Kompanio 520/528 (MT8186/MT8186T)	8	3,638	1,342	4	Unknown	Mobile/Embedded
DG1301SML87HY	8	3,624	727	NA	Unknown	Unknown
MT6853V/TNZA	8	3,616	1,532	NA	Unknown	Mobile/Embedded
Mediatek MT6833V/NZA	8	3,585	1,328	NA	Unknown	Mobile/Embedded
AMD Opteron 6176 SE	12	3,564	507	140	G34	Server
Qualcomm SM4350	8	3,562	1,445	NA	Unknown	Mobile/Embedded
MT6785	8	3,555	1,321	NA	Unknown	Mobile/Embedded
QTI SM6225	8	3,533	1,169	NA	Unknown	Mobile/Embedded
Snapdragon 835 @ 2.45 GHz	8	3,524	954	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDMMAGPIEP	8	3,523	1,523	NA	Unknown	Mobile/Embedded
MT6853V/ZA	8	3,505	1,247	NA	Unknown	Mobile/Embedded
Qualcomm MSM8998	8	3,480	1,074	NA	Unknown	Mobile/Embedded
AMD Opteron 6164 HE	12	3,478	399	85	Socket G34	Server
Qualcomm Technologies, Inc ATOLL-AB	8	3,472	1,589	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM7250	8	3,459	1,557	NA	Unknown	Mobile/Embedded
Snapdragon 845 @ 2.8 GHz	8	3,446	1,349	NA	Unknown	Mobile/Embedded
MediaTek MT6853T	8	3,425	1,473	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM765G 5G	8	3,425	1,638	NA	Unknown	Mobile/Embedded
Mediatek MT6779	8	3,415	1,074	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc LAGOON	8	3,412	1,639	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc KHAJE	8	3,405	1,149	NA	Unknown	Mobile/Embedded
Snapdragon 7c @ 2.40 GHz	8	3,395	1,225	9	Unknown	Laptop, Mobile/Embedded
Qualcomm Technologies, Inc SM7225	8	3,390	1,768	NA	Unknown	Mobile/Embedded
MediaTek MT6785V/CC	8	3,386	1,246	NA	Unknown	Mobile/Embedded
QTI SM6150	8	3,384	1,364	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM730G AIE	8	3,384	1,463	NA	Unknown	Mobile/Embedded
AMD Opteron 6136	8	3,381	549	115	Socket G34	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Qualcomm Technologies, Inc SDM845	8	3,369	1,345	NA	Unknown	Mobile/Embedded
Mediatek MT8786V/CT	8	3,368	1,175	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM7125	8	3,363	1,580	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc LITO	8	3,334	1,569	NA	Unknown	Mobile/Embedded
MT6853V/NZA	8	3,330	1,258	NA	Unknown	Mobile/Embedded
Snapdragon 850 @ 2.96 GHz	8	3,326	1,424	5	Unknown	Laptop, Mobile/Embedded
Qualcomm Technologies, Inc SDM720G	8	3,285	1,620	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM7150	8	3,263	1,415	NA	Unknown	Mobile/Embedded
MT6833GP	8	3,238	1,425	NA	Unknown	Mobile/Embedded
Mediatek MT6768G	8	3,232	1,212	NA	Unknown	Mobile/Embedded
MT8667	8	3,230	1,160	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc TRINKET-IOT	8	3,230	966	NA	Unknown	Mobile/Embedded
ZHAOXIN KaiXian KX-U6580@2.5GHz	8	3,227	745	NA	Unknown	Unknown
Qualcomm SDM670	8	3,221	1,142	NA	Unknown	Mobile/Embedded
Mediatek MT8786V/N	8	3,187	1,159	NA	Unknown	Mobile/Embedded
QTI SM611	8	3,180	999	NA	Unknown	Mobile/Embedded
Samsung "Exynos 9610"	8	3,168	1,012	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDMMAGPIE	8	3,158	1,435	NA	Unknown	Mobile/Embedded
Unisoc T616	8	3,152	1,189	NA	Unknown	Mobile/Embedded
MediaTek MT8188	8	3,144	1,883	NA	Unknown	Mobile/Embedded
Samsung Exynos 8895	8	3,138	989	NA	Unknown	Mobile/Embedded
MT8786V/CA	8	3,137	1,160	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc BENGALP-IOT	8	3,127	968	NA	Unknown	Mobile/Embedded
Spreadtrum T612	8	3,116	1,107	NA	Unknown	Mobile/Embedded
Qualcomm SM6115	8	3,107	973	NA	Unknown	Mobile/Embedded
Mediatek MT6768	8	3,104	1,168	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM4350	8	3,087	1,348	NA	Unknown	Mobile/Embedded
MT6771V/CL	8	3,079	924	NA	Unknown	Mobile/Embedded
vendor Kirin970	8	3,073	907	NA	Unknown	Mobile/Embedded
MediaTek MT6779V/CE	8	3,068	1,244	NA	Unknown	Mobile/Embedded
ARM Cortex-A55 8 Core 1800 MHz	8	3,013	959	NA	Unknown	Mobile/Embedded
Mediatek MT6769	8	3,011	1,139	NA	Unknown	Mobile/Embedded
SMDK4x12	8	3,006	1,271	NA	Unknown	Mobile/Embedded
MT8786V/N	8	2,992	1,165	NA	Unknown	Mobile/Embedded
Spreadtrum T618	8	2,966	1,141	NA	Unknown	Mobile/Embedded
Spreadtrum T616	8	2,959	1,071	NA	Unknown	Mobile/Embedded
Snapdragon 850 @ 2.40 GHz	8	2,946	1,198	NA	Unknown	Mobile/Embedded
Hisilicon Kirin810	8	2,945	1,515	NA	Unknown	Mobile/Embedded
Hisilicon Kirin 955	8	2,936	756	NA	Unknown	Mobile/Embedded
AMD Opteron 6128 HE	8	2,932	823	85	Socket G34	Server
Qualcomm Technologies, Inc SM6150	8	2,926	1,283	NA	Unknown	Mobile/Embedded
Rockchip RK3399	8	2,925	979	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Mediatek MT6769V/CZ	8	2,923	1,092	NA	Unknown	Mobile/Embedded
Qualcomm SM6125	8	2,916	992	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 970	8	2,908	1,110	NA	Unknown	Mobile/Embedded
QTI SM6115	8	2,878	941	NA	Unknown	Mobile/Embedded
Unisoc ums9230T	8	2,872	1,091	NA	Unknown	Mobile/Embedded
QTI SM6125	8	2,871	963	NA	Unknown	Mobile/Embedded
Qualcomm SDM450	8	2,855	838	NA	Unknown	Mobile/Embedded
MT6768G	8	2,838	1,172	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDA660	8	2,836	988	NA	Unknown	Mobile/Embedded
Mediatek MT6769H	8	2,828	1,021	NA	Unknown	Mobile/Embedded
AMD Opteron 6128	8	2,826	447	115	G34	Server
T606	8	2,824	989	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc MSM8998	8	2,821	1,046	NA	Unknown	Mobile/Embedded
Unisoc T610	8	2,819	1,073	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 960	8	2,809	1,093	NA	Unknown	Mobile/Embedded
vendor Kirin710	8	2,805	943	NA	Unknown	Mobile/Embedded
ARM Cortex-A76 8 Core 1800 MHz	8	2,792	994	NA	Unknown	Mobile/Embedded
Intel Atom C2750 @ 2.40GHz	8	2,789	694	20	FCBGA1283	Server
QTI SDM660	8	2,783	955	NA	Unknown	Mobile/Embedded
T610S-Unisoc	8	2,781	1,191	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc QCM6125	8	2,775	979	NA	Unknown	Mobile/Embedded
MT6769V/CZ	8	2,766	1,109	NA	Unknown	Mobile/Embedded
Spreadtrum T606	8	2,763	967	NA	Unknown	Mobile/Embedded
T618	8	2,760	1,178	NA	Unknown	Mobile/Embedded
MT8788	8	2,756	859	NA	Unknown	Mobile/Embedded
ARM Phytium, FT-2000/4 8 Core 2300 MHz	8	2,720	603	NA	Unknown	Mobile/Embedded
Qualcomm SDM660	8	2,719	830	NA	Unknown	Mobile/Embedded
MediaTek MT6779V/CV	8	2,712	1,098	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM710	8	2,701	1,179	NA	Unknown	Mobile/Embedded
MediaTek MT6769V/CU	8	2,696	1,085	NA	Unknown	Mobile/Embedded
MT6769H	8	2,696	1,054	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM6225	8	2,692	1,067	NA	Unknown	Mobile/Embedded
Spreadtrum T610	8	2,684	1,112	NA	Unknown	Mobile/Embedded
Hisilicon Kirin970	8	2,681	919	NA	Unknown	Mobile/Embedded
ARM D2000/8 8 Core 2300 MHz	8	2,674	589	NA	Unknown	Mobile/Embedded
ARM Phytium, D2000/8 8 Core 2300 MHz	8	2,671	591	NA	Unknown	Mobile/Embedded
MediaTek MT6771V/C	8	2,671	892	NA	Unknown	Mobile/Embedded
Unisoc T606	8	2,663	988	NA	Unknown	Mobile/Embedded
MediaTek MT6771V/CT	8	2,656	910	NA	Unknown	Mobile/Embedded
Unisoc T612	8	2,632	1,061	NA	Unknown	Mobile/Embedded
Unisoc T700	8	2,630	1,067	NA	Unknown	Mobile/Embedded
MediaTek MT6779V/CU	8	2,622	1,173	NA	Unknown	Mobile/Embedded
AMD Opteron 6172	12	2,615	564	115	G34	Server
Unisoc ums512	8	2,608	1,113	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Qualcomm SM4250	8	2,587	801	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc BENGALP	8	2,583	938	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM712	8	2,581	1,218	NA	Unknown	Mobile/Embedded
Unisoc T618	8	2,561	1,163	NA	Unknown	Mobile/Embedded
UIS7862A	8	2,557	1,062	NA	Unknown	Mobile/Embedded
MediaTek MT6769T	8	2,556	1,102	NA	Unknown	Mobile/Embedded
Samsung Exynos 9611	8	2,552	985	NA	Unknown	Mobile/Embedded
MediaTek MT6769Z	8	2,551	1,095	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM670	8	2,547	1,097	NA	Unknown	Mobile/Embedded
T610-Unisoc	8	2,539	1,067	NA	Unknown	Mobile/Embedded
MediaTek MT8183	8	2,538	898	NA	Unknown	Mobile/Embedded
ARM Kryo-4XX-Gold 8 Core 1804 MHz	8	2,531	1,128	NA	Unknown	Mobile/Embedded
Mediatek MT6769V/CT	8	2,520	1,012	NA	Unknown	Mobile/Embedded
QTI QCM4290	8	2,512	798	NA	Unknown	Mobile/Embedded
samsung exynos7885	8	2,489	1,012	NA	Unknown	Mobile/Embedded
MT6769V/CT	8	2,477	1,061	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 950	8	2,457	857	NA	Unknown	Mobile/Embedded
Samsung A04S EUR OPEN REV03C board based on EXYNOS	8	2,452	688	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc TRINKET	8	2,448	901	NA	Unknown	Mobile/Embedded
ARM Phytium, D2000/8 E8C 8 Core 2300 MHz	8	2,446	589	NA	Unknown	Mobile/Embedded
MediaTek MT6771V/W	8	2,445	878	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc BENGAL	8	2,442	883	NA	Unknown	Mobile/Embedded
Hisilicon Kirin710	8	2,438	943	NA	Unknown	Mobile/Embedded
Snapdragon 662	8	2,431	908	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM660	8	2,429	964	NA	Unknown	Mobile/Embedded
Samsung Exynos	8	2,423	868	NA	Unknown	Mobile/Embedded
MediaTek MT6769V/CB	8	2,419	1,122	NA	Unknown	Mobile/Embedded
MT8395AV/ZA	8	2,410	1,200	NA	Unknown	Mobile/Embedded
ARM Phytium, D2000/8 8 Core 2000 MHz	8	2,409	513	NA	Unknown	Mobile/Embedded
Intel Atom C2758 @ 2.40GHz	8	2,397	576	20	BGA 1283	Laptop, Mobile/Embedded
Qualcomm SDM630	8	2,388	636	NA	Unknown	Mobile/Embedded
AArch64 rev 2 (aarch64)	8	2,383	901	NA	Unknown	Mobile/Embedded
Mediatek MT8768N	8	2,382	669	NA	Unknown	Mobile/Embedded
MediaTek MT6771V/WT	8	2,377	898	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM665	8	2,375	898	NA	Unknown	Mobile/Embedded
T700-Unisoc	8	2,357	1,001	NA	Unknown	Mobile/Embedded
MediaTek MT6768V/CA	8	2,320	1,054	NA	Unknown	Mobile/Embedded
MT6771V/WL	8	2,299	886	NA	Unknown	Mobile/Embedded
Allwinner A527	8	2,297	678	NA	Unknown	Mobile/Embedded
Unisoc ums9230	8	2,293	907	NA	Unknown	Mobile/Embedded
Samsung Exynos 9610	8	2,257	954	NA	Unknown	Mobile/Embedded
mt6779	8	2,251	674	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

SM6125						
Qualcomm Technologies, Inc SDM662	8	2,237	938	NA	Unknown	Mobile/Embedded
MT6769V	8	2,229	1,060	NA	Unknown	Mobile/Embedded
MT6969T	8	2,228	1,125	NA	Unknown	Mobile/Embedded
MediaTek MT6771V/WM	8	2,225	805	NA	Unknown	Mobile/Embedded
Snapdragon 835	8	2,211	1,035	9	Unknown	Laptop, Mobile/Embedded
Mediatek MT6765V/WA	8	2,195	676	NA	Unknown	Mobile/Embedded
Qualcomm SDM439	8	2,195	613	NA	Unknown	Mobile/Embedded
MediaTek MT6769V/WB	8	2,192	1,118	NA	Unknown	Mobile/Embedded
MediaTek MT6797X	10	2,182	588	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM636	8	2,177	817	NA	Unknown	Mobile/Embedded
Intel Atom C2750 @ 2.41GHz	8	2,174	291	20	BGA 1283	Server
Samsung Exynos 7420	8	2,164	833	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc APQ8053	8	2,149	567	NA	Unknown	Mobile/Embedded
QTI MSM8937	8	2,142	606	NA	Unknown	Mobile/Embedded
MT6765H	8	2,132	639	NA	Unknown	Mobile/Embedded
MediaTek MT6763V/CE	8	2,130	1,104	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SM4250	8	2,120	733	NA	Unknown	Mobile/Embedded
Mediatek MT6765H	8	2,093	628	NA	Unknown	Mobile/Embedded
Samsung Exynos7870	8	2,093	507	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM632	8	2,090	772	NA	Unknown	Mobile/Embedded
Samsung Exynos 850	8	2,076	591	NA	Unknown	Mobile/Embedded
MT6797M	10	2,061	879	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc MSM8976SG	8	2,057	746	NA	Unknown	Mobile/Embedded
SAMSUNG Exynos7420	8	2,047	717	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM460	8	2,041	743	NA	Unknown	Mobile/Embedded
MediaTek MT8768CT	8	2,028	620	NA	Unknown	Mobile/Embedded
MediaTek MT8768WT	8	1,999	624	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc 450	8	1,978	459	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc QCS610	8	1,949	1,407	NA	Unknown	Mobile/Embedded
Allwinner A523	8	1,942	591	NA	Unknown	Mobile/Embedded
MT6757W	8	1,941	606	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM630	8	1,921	607	NA	Unknown	Mobile/Embedded
MT8768CA	10	1,912	545	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc BENGAL-IOT	8	1,912	727	NA	Unknown	Mobile/Embedded
P22	8	1,908	537	NA	Unknown	Mobile/Embedded
HiSilicon Kirin 659	8	1,893	670	NA	Unknown	Mobile/Embedded
MT6765V/WB	8	1,891	613	NA	Unknown	Mobile/Embedded
MediaTek MT6765V/CB	8	1,874	600	NA	Unknown	Mobile/Embedded
MediaTek MT6797	10	1,849	780	NA	Unknown	Mobile/Embedded
MediaTek MT6757V	8	1,846	596	NA	Unknown	Mobile/Embedded
MediaTek MT6765V/CA	8	1,837	617	NA	Unknown	Mobile/Embedded
Samsung Exynos 7885	8	1,832	863	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

🔽 Samsung Exynos 7904	8	1,825	753	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc MSM8953	8	1,818	531	NA	Unknown	Mobile/Embedded
🔽 AArch64 rev 4 (aarch64)	8	1,813	588	NA	Unknown	Mobile/Embedded
🔽 MT6765V/WA	8	1,799	617	NA	Unknown	Mobile/Embedded
🔽 MT6763V/CT	8	1,794	443	NA	Unknown	Mobile/Embedded
🔽 Samsung Exynos 7880	8	1,792	466	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT6762	8	1,790	534	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc MSM8976	8	1,788	719	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT8768WE	8	1,785	552	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT6765V/WB	8	1,771	607	NA	Unknown	Mobile/Embedded
🔽 MT6757WD	8	1,771	632	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6757CD	8	1,761	645	NA	Unknown	Mobile/Embedded
🔽 Spreadtrum T603	8	1,759	538	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT6765	8	1,754	594	NA	Unknown	Mobile/Embedded
🔽 MT6752M	8	1,735	398	NA	Unknown	Mobile/Embedded
🔽 MT6762	8	1,735	579	NA	Unknown	Mobile/Embedded
🔽 MT6752	8	1,728	486	NA	Unknown	Mobile/Embedded
🔽 Unisoc UIS8581A	8	1,704	507	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT8768WA	8	1,688	537	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc APQ8076	8	1,673	585	NA	Unknown	Mobile/Embedded
🔽 Spreadtrum SC9863A Board	8	1,671	519	NA	Unknown	Mobile/Embedded
🔽 QTI SDM450	8	1,666	539	NA	Unknown	Mobile/Embedded
🔽 ARM Falkor V1/Kryo 8 Core 1900 MHz	8	1,652	542	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6765G	8	1,635	561	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6762V/CB	8	1,615	525	NA	Unknown	Mobile/Embedded
🔽 MT6755V/W	8	1,608	555	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6797T	10	1,605	523	NA	Unknown	Mobile/Embedded
🔽 Hisilicon Kirin 935	8	1,599	352	NA	Unknown	Mobile/Embedded
🔽 Qualcomm MSM8953	8	1,589	486	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT6765V/XBA	8	1,587	590	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6763V/V	8	1,579	547	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6762V/WD	8	1,569	484	NA	Unknown	Mobile/Embedded
🔽 QTI SDM439	8	1,568	556	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc APQ8094	8	1,564	552	NA	Unknown	Mobile/Embedded
🔽 MT6755V/C	8	1,554	409	NA	Unknown	Mobile/Embedded
🔽 Samsung Exynos 7884	8	1,554	652	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6762V/WR	8	1,545	523	NA	Unknown	Mobile/Embedded
🔽 MT6763V/B	8	1,544	552	NA	Unknown	Mobile/Embedded
🔽 Samsung A13 USA SINGLE REV02B board based on EXYNO	8	1,528	459	NA	Unknown	Mobile/Embedded
🔽 Mediatek MT8768A	8	1,524	454	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc SDA450	8	1,518	469	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc SDM439	8	1,477	517	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6762V/WA	8	1,470	485	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6762V/WB	8	1,442	494	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP	8	1,426	404	NA	Unknown	Mobile/Embedded
Unisoc SC9863a	8	1,426	485	NA	Unknown	Mobile/Embedded
Samsung M13 EUR OPEN REV02 board based on EXYNOS85	8	1,425	516	NA	Unknown	Mobile/Embedded
Hisilicon Kirin 930	8	1,415	430	NA	Unknown	Mobile/Embedded
MT6750V/C	8	1,409	406	NA	Unknown	Mobile/Embedded
Unisoc SC9863A1	8	1,399	455	NA	Unknown	Mobile/Embedded
MT6755V/WS	8	1,389	538	NA	Unknown	Mobile/Embedded
Samsung EXYNOS5430	8	1,380	595	NA	Unknown	Mobile/Embedded
MT6763V/WT	8	1,375	624	NA	Unknown	Mobile/Embedded
Qualcomm	8	1,354	358	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc SDM450	8	1,348	430	NA	Unknown	Mobile/Embedded
MT8768WE	8	1,323	518	NA	Unknown	Mobile/Embedded
Qualcomm Snapdragon 810	8	1,316	667	NA	Unknown	Mobile/Embedded
MT6795	8	1,290	461	NA	Unknown	Mobile/Embedded
Unisoc UIS8581E	8	1,279	498	NA	Unknown	Mobile/Embedded
MT6755	8	1,278	536	NA	Unknown	Mobile/Embedded
MT6750V/DN	8	1,271	437	NA	Unknown	Mobile/Embedded
Samsung M13 SWA INS 00 board based on EXYNOS850	8	1,269	492	NA	Unknown	Mobile/Embedded
MediaTek MT6762V/CA	8	1,258	447	NA	Unknown	Mobile/Embedded
Rockchip RK	8	1,246	654	NA	Unknown	Mobile/Embedded
Samsung A13 EUR OPEN REV02B board based on EXYNOS8	8	1,230	470	NA	Unknown	Mobile/Embedded
MT6755M	8	1,229	501	NA	Unknown	Mobile/Embedded
MediaTek MT6762G	8	1,225	492	NA	Unknown	Mobile/Embedded
MT6755V/BM	8	1,219	520	NA	Unknown	Mobile/Embedded
MediaTek MT6750T	8	1,187	468	NA	Unknown	Mobile/Embedded
Qualcomm MSM8939	8	1,180	415	NA	Unknown	Mobile/Embedded
Samsung EXYNOS5433	8	1,176	515	NA	Unknown	Mobile/Embedded
MT6757WH	8	1,161	419	NA	Unknown	Mobile/Embedded
ARM Cortex-A15 8 Core 1400 MHz	8	1,160	563	NA	Unknown	Mobile/Embedded
MTK6757	8	1,158	709	NA	Unknown	Mobile/Embedded
MediaTek MT6750V/WT	8	1,153	403	NA	Unknown	Mobile/Embedded
MediaTek MT6753T	8	1,149	416	NA	Unknown	Mobile/Embedded
MT8768WD	8	1,122	448	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc MSM8937	8	1,099	377	NA	Unknown	Mobile/Embedded
MT6755V/WM	8	1,090	361	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI KIW-L21	8	1,088	351	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI TEXAS-A1	8	1,085	383	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc MSM8994	8	1,073	520	NA	Unknown	Mobile/Embedded
MT6755BM	8	1,070	520	NA	Unknown	Mobile/Embedded
Qualcomm MSM 8939 HUAWEI KIW-L24	8	1,065	344	NA	Unknown	Mobile/Embedded
MT6592T	8	1,056	354	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

🏠 CPU Benchmarks ▼

🔽 Snapdragon 435	8	1,053	346	NA	Unknown	Mobile/Embedded
🔽 Qualcomm MSM8937	8	1,043	350	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6750	8	1,040	371	NA	Unknown	Mobile/Embedded
🔽 JLQ JR510	8	1,039	582	NA	Unknown	Mobile/Embedded
🔽 MT8783	8	1,039	353	NA	Unknown	Mobile/Embedded
🔽 Samsung Exynos 7870	8	1,023	337	NA	Unknown	Mobile/Embedded
🔽 ARM Cortex-A57 8 Core 1500 MHz	8	1,022	346	NA	Unknown	Mobile/Embedded
🔽 MT6762V/CR	8	1,022	406	NA	Unknown	Mobile/Embedded
🔽 MediaTek MT6753	8	1,018	337	NA	Unknown	Mobile/Embedded
🔽 AC8259V/WAB	8	990	512	NA	Unknown	Mobile/Embedded
🔽 MT6795M	8	968	377	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc MSM8939	8	959	352	NA	Unknown	Mobile/Embedded
🔽 MT6750V/CS	8	955	384	NA	Unknown	Mobile/Embedded
🔽 MT6750V/WS	8	934	383	NA	Unknown	Mobile/Embedded
🔽 Samsung J7 Max LTE SWA board based on MT6757V/WL	8	928	282	NA	Unknown	Mobile/Embedded
🔽 SAMSUNG Exynos7580	8	910	271	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc MSM8952	8	907	362	NA	Unknown	Mobile/Embedded
🔽 Samsung Exynos 7580	8	878	308	NA	Unknown	Mobile/Embedded
🔽 rockchip_rk3368	8	870	347	NA	Unknown	Mobile/Embedded
🔽 MT6750V/W	8	845	342	NA	Unknown	Mobile/Embedded
🔽 MTK8257	8	842	404	NA	Unknown	Mobile/Embedded
🔽 Rockchip RK3368	8	827	329	NA	Unknown	Mobile/Embedded
🔽 hi6210sft	8	796	269	NA	Unknown	Mobile/Embedded
🔽 AC8257V/WAB	8	788	485	NA	Unknown	Unknown
🔽 Qualcomm MSM8994	8	785	412	NA	Unknown	Mobile/Embedded
🔽 MT6797D	10	758	326	NA	Unknown	Mobile/Embedded
🔽 Spreadtrum SC9853I-IA	8	748	467	NA	Unknown	Mobile/Embedded
🔽 MT6738	8	692	430	NA	Unknown	Mobile/Embedded
🔽 Rockchip RK3566 RK817 TABLET RKG11 LP4 Board	8	686	314	NA	Unknown	Mobile/Embedded
🔽 ARM Cortex-A53 8 Core 1512 MHz	8	681	165	NA	Unknown	Mobile/Embedded
🔽 MT6795MM	8	618	567	NA	Unknown	Mobile/Embedded
🔽 Qualcomm Technologies, Inc MSM8929	8	560	252	NA	Unknown	Mobile/Embedded
🔽 MT6737H	8	528	319	NA	Unknown	Mobile/Embedded
🔽 MT6592	8	521	211	NA	Unknown	Mobile/Embedded

Showing 1 to 1,884 of 1,884 entries (filtered from 5,337 total entries)

[Previous](#) **1** [Next](#)

Notes:

- 1 Price is obtained from our affiliates. '*' after the price denotes the last seen price for products that are no longer available.
- 2 CPU Value is calculated by taking CPU Mark / Price.
- 3 Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- 4 Power Performance is calculated by taking CPU Mark / TDP.
- 5 Test Date is the date of our first benchmark submission.

[Home](#) CPU Benchmarks ▼

- [> PerformanceTest](#)
- [> OSForensics](#)
- [> MemTest86](#)
- [> WirelessMon](#)
- [> Management Console](#)
- [> Zoom Search Engine](#)
- [> Free Software](#)

Benchmarks

- [> CPU Benchmarks](#)
- [> Video Card Benchmarks](#)
- [> Hard Drive Benchmarks](#)
- [> RAM Benchmarks](#)
- [> PC Systems Benchmarks](#)
- [> Software Marketshare](#)
- [> Database Benchmarks](#)
- [> Android Benchmarks](#)
- [> iOS Benchmarks](#)
- [> Internet Bandwidth](#)

Services

[Store](#)

[Support](#)

[Forums](#)

[Compliance](#)

- [> USB2.0 Loopback Plugs](#)
- [> PCIe Test Cards](#)
- [> USB Power Delivery Tester](#)
- [> Serial and Parallel Loopback Plugs](#)
- [> USB Short Circuit Testers](#)

About Us

- [> Company](#)
- [> Contact Us](#)
- [> The Press Room](#)

International

[Disclaimer](#)

[Refunds](#)

[Privacy](#)

Social



Copyright © 2024 PassMark® Software

